

*DRAGONFLY  
micro cam*







DMM has proudly manufactured high quality climbing hardware in North Wales since 1981. Over that time, we've established a reputation for innovation and high standards of quality control.

Key to that reputation is the fact that all safety critical processes from design through to manufacture, assembly and testing, are carried out at our site in Llanberis.

We greatly value the close relationship we've built-up with grass roots activists around the world in providing valuable feedback for product development.

In this workbook, you'll find details of our 2019 climbing range with highlighted new products and updates. Look out for the Dragonfly micro cams that include the size 1 as the world's smallest certified climbing cam and the Phantom HMS carabiner. The latter paired with the Captiv8 'strap and clip' is the world's lightest directional belay biner.

**Climb Now Work Later**


**Team DMM**



# Contents

<b>Carabiners &amp; Quickdraws</b>	<b>08</b>	<b>Walls &amp; Centres</b>	<b>47</b>
<b>Locking Carabiners</b>	<b>18</b>	<b>Ropes &amp; Rope Protection</b>	<b>51</b>
<b>Protection</b>	<b>26</b>	<b>Slings &amp; Lanyards</b>	<b>56</b>
<b>Belay &amp; Abseil</b>	<b>34</b>	<b>Bags &amp; Bouldering Pads</b>	<b>61</b>
<b>Winter</b>	<b>38</b>	<b>Chalk Bags &amp; Chalk</b>	<b>64</b>
<b>Harnesses</b>	<b>42</b>	<b>Clothing</b>	<b>68</b>

# Carabiners & Quickdraws





**› Alpha Trad**

An ergonomic full size wire gate carabiner with a clean nose and wide gate opening for easy clipping.

MAJOR AXIS: 24kN  
WEIGHT: 35g

**› Alpha Sport Straight**

A highly ergonomic sport climbing carabiner that gives confident handling, easy clipping, and durability for working routes.

MAJOR AXIS: 24kN  
WEIGHT: 46g

**› Chimera**

A lightweight clean nose carabiner that strikes the balance between weight, usability, and function.

MAJOR AXIS: 23kN  
WEIGHT: 30g

**› Alpha Sport Bent**

The ergonomic Alpha shape with a hot-forged, curved gate for smooth clipping on the rope end of a sport quickdraw.

MAJOR AXIS: 24kN  
WEIGHT: 46g

**› Phantom**

Weighing just 28g, the Phantom is the ultimate lightweight trad carabiner.

MAJOR AXIS: 23kN  
WEIGHT: 28g

**› Shadow Straight**

A lightweight sport carabiner that is tough enough to withstand working routes. Ideal for sport climbers who occasionally trad climb.

MAJOR AXIS: 24kN  
WEIGHT: 42g

**› Spectre**

A classic all-round carabiner suitable for trad, sport and winter climbing.

MAJOR AXIS: 24kN  
WEIGHT: 33g

**› Shadow Bent**

A lightweight and clean nose sport carabiner for the rope clipping end of a quickdraw.

MAJOR AXIS: 24kN  
WEIGHT: 43g

**› Thor**

A very strong and highly versatile wire gate carabiner that is robust enough for sport climbing and light enough for trad.

MAJOR AXIS: 28kN  
WEIGHT: 36g

**› Aero Straight**

The ideal entry level sport climbing carabiner for the bolt clipping end of a quickdraw. Durable with a keylock nose.

MAJOR AXIS: 24kN  
WEIGHT: 47g

**› Aero Bent**

Durable with a keylock nose. A curved gate guides the rope into the carabiner on the rope clipping end of a sport quickdraw.

MAJOR AXIS: 24kN  
WEIGHT: 48g

**› Revolver**

The innovative combination of a pulley wheel in a carabiner for reducing rope drag. It can be used in an improvised hauling system.

MAJOR AXIS: 24kN  
WEIGHT: 51g

**› PerfectO Straight**

A compact, true oval carabiner that maintains ease of use and is ideal for racking gear.

MAJOR AXIS: 24kN  
WEIGHT: 50g

**› XSRE**

A fully featured miniature carabiner that can be used for any non-safety critical use that comes to mind.

MAJOR AXIS: 4kN  
WEIGHT: 8g  
NON-PPE

## Carabiner Colour Packs

› Ideal for colour coding equipment to enable quick identification of gear on your harness.

**› Alpha Trad Colour Pack**

Pack of five colour Alpha Trad carabiners.

**› Chimera Colour Pack**

Pack of five colour Chimera carabiners.

**› Phantom Colour Pack**

Pack of five colour Phantom carabiners.

**› Spectre Colour Pack**

Pack of five colour Spectre carabiners.

**› PerfectO Rack Pack**

Pack of four colour PerfectO carabiners.

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
A508	Alpha Trad	Silver	35	59 x 99mm	24kN	7kN	9kN	25mm	EN12275:2013 B, UIAA121:2009
A508BL	Alpha Trad	Blue	35	59 x 99mm	24kN	7kN	9kN	25mm	EN12275:2013 B, UIAA121:2009
A508BLT	Alpha Trad	Titanium	35	59 x 99mm	24kN	7kN	9kN	25mm	EN12275:2013 B, UIAA121:2009
A508GL	Alpha Trad	Gold	35	59 x 99mm	24kN	7kN	9kN	25mm	EN12275:2013 B, UIAA121:2009
A508GR	Alpha Trad	Green	35	59 x 99mm	24kN	7kN	9kN	25mm	EN12275:2013 B, UIAA121:2009
A508PR	Alpha Trad	Purple	35	59 x 99mm	24kN	7kN	9kN	25mm	EN12275:2013 B, UIAA121:2009
A508RD	Alpha Trad	Red	35	59 x 99mm	24kN	7kN	9kN	25mm	EN12275:2013 B, UIAA121:2009
A508-P5	Alpha Trad Colour - 5 Pack	Assorted	175	59 x 99mm	24kN	7kN	9kN	25mm	EN12275:2013 B, UIAA121:2009

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
A398	Chimera	Silver	30	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B
A398BL	Chimera	Blue	30	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B
A398BLT	Chimera	Titanium	30	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B
A398GD	Chimera	Gold	30	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B
A398GR	Chimera	Green	30	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B
A398PR	Chimera	Purple	30	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B
A398RD	Chimera	Red	30	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B
A398LG	Chimera	Lime	30	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B
A398-P5	Chimera Colour - 5 Pack	Assorted	150	53 x 90mm	23kN	7kN	9kN	21mm	EN12275:2013 B

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
A318	Phantom	Silver	28	52 x 89mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B
A318BL	Phantom	Blue	28	52 x 89mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B
A318BLT	Phantom	Titanium	28	52 x 89mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B
A318GL	Phantom	Gold	28	52 x 89mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B
A318GR	Phantom	Green	28	52 x 89mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B
A318PR	Phantom	Purple	28	52 x 89mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B
A318RD	Phantom	Red	28	52 x 89mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B
A318OR	Phantom	Orange	28	52 x 99mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B
A318-P5	Phantom Colour - 5 Pack	Assorted	140	52 x 99mm	23kN	7kN	9kN	21mm	EN12275:2013 B, UIAA121:2009 Class B

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
A358	Spectre	Silver	33	56 x 97mm	24kN	8kN	9kN	23mm	EN12275:2013 B, UIAA121:2009
A358BL	Spectre	Blue	33	56 x 97mm	24kN	8kN	9kN	23mm	EN12275:2013 B, UIAA121:2009
A358BLT	Spectre	Titanium	33	56 x 97mm	24kN	8kN	9kN	23mm	EN12275:2013 B, UIAA121:2009
A358GL	Spectre	Gold	33	56 x 97mm	24kN	8kN	9kN	23mm	EN12275:2013 B, UIAA121:2009
A358GR	Spectre	Green	33	56 x 97mm	24kN	8kN	9kN	23mm	EN12275:2013 B, UIAA121:2009
A358RD	Spectre	Red	33	56 x 97mm	24kN	8kN	9kN	23mm	EN12275:2013 B, UIAA121:2009
A358-P5	Spectre Colour - 5 Pack	Assorted	165	56 x 97mm	24kN	8kN	9kN	23mm	EN12275:2013 B, UIAA121:2009
A358SI-P5	Spectre - 5 Pack	Silver	165	56 x 97mm	24kN	8kN	9kN	23mm	EN12275:2013 B, UIAA121:2009

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
A388	Thor	Silver	36	57 x 98mm	28kN	7kN	11kN	25mm	EN12275:2013 B
A388GM	Thor	Gunmetal	36	57 x 98mm	28kN	7kN	11kN	25mm	EN12275:2013 B

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
A521	Alpha Sport Straight	Silver	46	61 x 102mm	24kN	8kN	9kN	22mm	EN12275:2013 B, UIAA121:2009
A521RD	Alpha Sport Straight	Titanium	46	61 x 102mm	24kN	8kN	9kN	22mm	EN12275:2013 B, UIAA121:2009
A526	Alpha Sport Bent	Titanium	46	61 x 102mm	24kN	8kN	9kN	25mm	EN12275:2013 B, UIAA121:2009
A526RD	Alpha Sport Bent	Red	46	61 x 102mm	24kN	8kN	9kN	25mm	EN12275:2013 B, UIAA121:2009

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
A301	Shadow Straight	Silver	42	58 x 102mm	24kN	9kN	10kN	20mm	EN12275:2013 B, UIAA121:2009 Class B
A301P	Shadow Straight	Titanium	42	58 x 102mm	24kN	9kN	10kN	20mm	EN12275:2013 B, UIAA121:2009 Class B
A301-P5	Shadow Straight - 5 Pack	Silver	210	58 x 102mm	24kN	9kN	10kN	20mm	EN12275:2013 B, UIAA121:2009 Class B
A301P-P5	Shadow Straight - 5 Pack	Purple	210	58 x 102mm	24kN	9kN	10kN	20mm	EN12275:2013 B, UIAA121:2009 Class B
A306	Shadow Bent	Titanium	43	58 x 102mm	24kN	9kN	10kN	25mm	EN12275:2013 B, UIAA121:2009 Class B
A306P	Shadow Bent	Purple	43	58 x 102mm	24kN	9kN	10kN	25mm	EN12275:2013 B, UIAA121:2009 Class B
A306-P5	Shadow Bent - 5 Pack	Titanium	215	58 x 102mm	24kN	9kN	10kN	25mm	EN12275:2013 B, UIAA121:2009 Class B
A306P-P5	Shadow Bent - 5 Pack	Purple	215	58 x 102mm	24kN	9kN	10kN	25mm	EN12275:2013 B, UIAA121:2009 Class B

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
A221	Aero Straight	Silver	47	61 x 103mm	24kN	8kN	9kN	20mm	EN12275:2013 B, UIAA121:2009 Class B
A221GR	Aero Straight	Titanium	47	61 x 103mm	24kN	8kN	9kN	20mm	EN12275:2013 B, UIAA121:2009 Class B
A221-P5	Aero Straight - 5 Pack	Silver	235	61 x 103mm	24kN	8kN	9kN	20mm	EN12275:2013 B, UIAA121:2009 Class B
A221GR-P5	Aero Straight - 5 Pack	Titanium	235	61 x 103mm	24kN	8kN	9kN	20mm	EN12275:2013 B, UIAA121:2009 Class B
A226	Aero Bent	Titanium	48	61 x 103mm	24kN	8kN	9kN	24mm	EN12275:2013 B, UIAA121:2009 Class B
A226GR	Aero Bent	Green	48	61 x 103mm	24kN	8kN	9kN	24mm	EN12275:2013 B, UIAA121:2009 Class B
A226-P5	Aero Bent - 5 Pack	Titanium	240	61 x 103mm	24kN	8kN	9kN	24mm	EN12275:2013 B, UIAA121:2009 Class B
A226GR-P5	Aero Bent - 5 Pack	Green	240	61 x 103mm	24kN	8kN	9kN	24mm	EN12275:2013 B, UIAA121:2009 Class B

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
A238	Revolver	Titanium	51	59 x 103mm	24kN	7kN	9kN	24mm	EN12275:2013 B, UIAA121:2009 Class B


PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
A591	PerfectO	Titanium	50	95 x 56mm	24kN	7kN	7kN	19mm	EN12275:2013 B
A591GR	PerfectO	Green	50	95 x 56mm	24kN	7kN	7kN	19mm	EN12275:2013 B
A591BL	PerfectO	Blue	50	95 x 56mm	24kN	7kN	7kN	19mm	EN12275:2013 B
A591RD	PerfectO	Red	50	95 x 56mm	24kN	7kN	7kN	19mm	EN12275:2013 B
A591OR	PerfectO	Orange	50	95 x 56mm	24kN	7kN	7kN	19mm	EN12275:2013 B
A591-P4	PerfectO Rack Pack	Assorted	200	95 x 56mm	24kN	7kN	7kN	19mm	EN12275:2013 B

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
A531BL	XSRE	Blue	8	32 x 57mm	4kN	-	-	13mm	Non-PPE
A531BLK	XSRE	Black	8	32 x 57mm	4kN	-	-	13mm	Non-PPE
A531GD	XSRE	Gold	8	32 x 57mm	4kN	-	-	13mm	Non-PPE
A531GR	XSRE	Green	8	32 x 57mm	4kN	-	-	13mm	Non-PPE
A531PR	XSRE	Purple	8	32 x 57mm	4kN	-	-	13mm	Non-PPE
A531RD	XSRE	Red	8	32 x 57mm	4kN	-	-	13mm	Non-PPE
A531TQ	XSRE	Turquoise	8	32 x 57mm	4kN	-	-	13mm	Non-PPE




# Quickdraws

**› Alpha Trad** UPDATED



A highly ergonomic full size wire gate quickdraw with a clean nose and wide gate opening for easy clipping.

**› Alpha Sport**




A highly ergonomic sport climbing quickdraw that gives confident handling, easy clipping, and durability for working routes.

**› Chimera** UPDATED




A lightweight clean nose quickdraw that strikes the balance between weight, usability, and functionality.

**› Shadow**



A lightweight sport quickdraw that is tough enough to withstand working routes, ideal for redpointing and onsighting.

**› Phantom** UPDATED




Weighing just 65g, the Phantom is the ultimate lightweight trad quickdraw.

**› Aero**




The ideal entry level sport climbing quickdraw.

**› Spectre 2** UPDATED




A classic all-round quickdraw suitable for trad, sport and winter climbing.

**› Alpha Hybrid** NEW




Alpha Straight/Trad combination on a vari-width logo quickdraw for when ergonomic handling and weight saving is critical.

**› Thor** UPDATED



A very strong and highly versatile wire gate quickdraw that is robust enough for sport climbing and light enough for trad.

**› Shadow/Spectre Hybrid** NEW



A Shadow Straight/Spectre pairing on a vari-width quickdraw for long sport routes when weight saving is at a premium.

# Quickdraw Range

For 2019, we've brought a bright and vibrant vibe to our wire gate quickdraws. They feature satin anodised carabiners with a matching colour edged 11mm Dynatec sling. The top carabiner is either silver or titanium for quick identification as the protection clipping end of the draw. In our popular Alpha Trad and Spectre quickdraw lines you have the option of length by colour for easy differentiation. All our quickdraws are available in 12, 18 or 25cm lengths. The Phantom and Chimera are also available as alpine quickdraws with an 8mm 60cm Dynatec sling.

In our sport draw range we've introduced two hybrid quickdraws for when weight saving is at a premium.

## WIRE GATE QUICKDRAWS


### Alpha Trad



### Chimera




### Phantom



### Spectre




### Thor



## SPORT QUICKDRAWS


### Alpha Sport



### Shadow



### Aero




## HYBRID QUICKDRAWS

### Alpha Hybrid




### Shadow/Spectre Hybrid







# Locking Carabiners




Italian hitch with an Aero HMS on a  
Cairngorm scramble, Scotland.

📷 Ray Wood



# Locking Carabiners

› **Phantom HMS** NEW



A compact, lightweight carabiner ideally suited for belaying and rigging. Paired with the Captiv8 it creates the world's lightest directional belay carabiner.

---

MAJOR AXIS: 25kN  
WEIGHT: 56g

› **Captiv8** NEW



An unobtrusive 'strap and clip' for our aluminium screwgate range to promote correct carabiner orientation. Simply trim to fit the model of carabiner.

---

› **Belay Master 2**



A belay carabiner with a nylon clip that prevents cross-loading and ensures the gate is closed and locked.

---

MAJOR AXIS: 25kN  
WEIGHT: 93g

› **Ceros**



The Ceros features an internal wiregate to correctly align the carabiner on the belay loop minimising the chance of cross-loading.

---

MAJOR AXIS: 25kN  
WEIGHT: 86g

› **Rhino**




The Rhino gives confident control with modern belay devices. The horn prevents some locking assisted devices from rotating to the spine of the carabiner.

---

MAJOR AXIS: 27kN  
WEIGHT: 72g

› **Boa**



A high capacity rigging carabiner which makes a good central connection point.

---

MAJOR AXIS: 25kN  
WEIGHT: 86g

› **30kN Boa**



The Boa's bigger brother has the same ergonomic shape and handling characteristics, but has a 30kN major axis strength rating for handling rescue loads.

---

MAJOR AXIS: 30kN  
WEIGHT: 95g

› **Aero HMS**



A classic carabiner design that is simple, strong and durable.

---

MAJOR AXIS: 25kN  
WEIGHT: 85g

› **Phantom**



A very lightweight locking carabiner that helps minimise rack weight.

---

MAJOR AXIS: 24kN  
WEIGHT: 42g

› **Aero**



A durable entry level carabiner.

---

MAJOR AXIS: 25kN  
WEIGHT: 60g

› **Shadow**



A lightweight, mid-size multipurpose locking carabiner.

---

MAJOR AXIS: 24kN  
WEIGHT: 50g

› **PerfectO**



A compact, true oval carabiner that is easy to use one-handed. It provides effective centring of loads.

---

MAJOR AXIS: 24kN  
WEIGHT: 60g

› **Ultra O**



A very stable locking carabiner that gives predictable loading and allows attachments to sit centrally.

---

MAJOR AXIS: 25kN  
WEIGHT: 67g

› **Ultra D**



A strong, high volume carabiner for heavy duty rigging and rescue applications.

---

MAJOR AXIS: 30kN  
WEIGHT: 80g

› **Zodiac**




A very strong rigging carabiner that is ideal for intensive use by centres and groups.

---

MAJOR AXIS: 32kN  
WEIGHT: 75g

› **Klettersteig**



A wide gate opening, long top bar and high internal volume make the Klettersteig suitable for heavy duty rigging and rescue applications.

---

MAJOR AXIS: 30kN  
WEIGHT: 87g

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
A572	Phantom HMS Screwgate	Titanium/Lime	56	71 x 96mm	25kN	9kN	7kN	20mm	EN362:2004 B, EN12275:2013 H
A572BL	Phantom HMS Screwgate	Blue	56	71 x 96mm	25kN	9kN	7kN	20mm	EN362:2004 B, EN12275:2013 H
A572GR	Phantom HMS Screwgate	Green	56	71 x 96mm	25kN	9kN	7kN	20mm	EN362:2004 B, EN12275:2013 H
A572RD	Phantom HMS Screwgate	Red	56	71 x 96mm	25kN	9kN	7kN	20mm	EN362:2004 B, EN12275:2013 H
A573	Phantom HMS Kwiklock	Titanium/Red	61	71 x 96mm	25kN	9kN	7kN	19mm	EN362:2004 B, EN12275:2013 H
A577	Phantom HMS Locksafe	Titanium/Green	62	71 x 96mm	25kN	9kN	7kN	19mm	EN362:2004 B, EN12275:2013 H
A572BL/875	Phantom HMS Screwgate Captiv8	Blue	58	71 x 96mm	25kN	9kN	7kN	20mm	EN362:2004 B, EN12275:2013 H
A572BLT/875	Phantom HMS Screwgate Captiv8	Titanium	58	71 x 96mm	25kN	9kN	7kN	20mm	EN362:2004 B, EN12275:2013 H
A572GR/875	Phantom HMS Screwgate Captiv8	Green	58	71 x 96mm	25kN	9kN	7kN	20mm	EN362:2004 B, EN12275:2013 H
A572RD/875	Phantom HMS Screwgate Captiv8	Red	58	71 x 96mm	25kN	9kN	7kN	20mm	EN362:2004 B, EN12275:2013 H

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
A875	Captiv8	Anthracite	2	-	-	-	-	-	-

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
A872	Belay Master 2	Titanium/Lime	93	70 x 115mm	25kN	10kN	8kN	20mm	EN362:2004 B/T, EN12275:2013 B/H
A860-02	Belay Master Clip	Black	-	-	-	-	-	-	-
A860-02S	Belay Master Clip (new gates)	Black	-	-	-	-	-	-	-





# Specialist Carabiners



## › Revolver Rig

A carabiner with an integrated roller bearing pulley, full strength becket and removable captive bar.

MAJOR AXIS: 25kN  
WEIGHT: 196g



## › Revolver

A locking carabiner with an integrated pulley wheel that reduces friction and rope drag. It can be used in lightweight hauling systems.

MAJOR AXIS: 24kN  
WEIGHT: 63g

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
A5821CB	Revolver Rig Screwgate	Matt Grey/Lime	196	76 x 160mm	25kN	7kN	7kN	23mm	EN12278:2007, EN362:2004
A5831CB	Revolver Rig Kwiklock	Matt Grey/Red	203	76 x 160mm	25kN	7kN	7kN	22mm	EN12278:2007, EN362:2004
A5871CB	Revolver Rig Locksafe	Matt Grey/Green	203	76 x 160mm	25kN	7kN	7kN	22mm	EN12278:2007, EN362:2004
A5841CB	Revolver Rig Durolock	Matt Grey/Purple	213	76 x 160mm	25kN	7kN	7kN	21mm	EN12278:2007, EN362:2004

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
A272	Revolver Screwgate	Titanium/Lime	63	60 x 109mm	24kN	8kN	8kN	16mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
A273	Revolver Kwiklock	Titanium/Red	69	60 x 109mm	24kN	8kN	8kN	15mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
A277	Revolver Locksafe	Titanium/Green	70	60 x 109mm	24kN	8kN	8kN	15mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009



## › Equal D

A general purpose steel D shape connector

MAJOR AXIS: 30kN  
WEIGHT: 172g



## › Oval

A lightweight steel oval carabiner that gives stable rigging.

MAJOR AXIS: 30kN  
WEIGHT: 172g

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
C322	I-Beam Steel Ultra O Screwgate	Light Gold	191	66 x 109mm	30kN	18kN	14kN	19mm	EN362:2004 B/T, EN12275:2013 X/B
C323	I-Beam Steel Ultra O Kwiklock	Light Gold	214	66 x 109mm	30kN	18kN	14kN	19mm	EN362:2004 B/T, EN12275:2013 X/B
C327	I-Beam Steel Ultra O Locksafe	Light Gold	218	66 x 109mm	30kN	18kN	14kN	19mm	EN362:2004 B/T, EN12275:2013 X/B

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
C302	I-Beam Steel Shadow Screwgate	Light Gold	151	62 x 102mm	40kN	18kN	20kN	18	EN362:2004 B/T, EN12275:2013 B
C303	I-Beam Steel Shadow Kwiklock	Light Gold	176	62 x 102mm	40kN	18kN	20kN	16	EN362:2004 B/T, EN12275:2013 B
C307	I-Beam Steel Shadow Locksafe	Light Gold	176	62 x 102mm	40kN	18kN	20kN	16	EN362:2004 B/T, EN12275:2013 B

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
C84K2	I-Beam Steel Klettersteig Screwgate	Light Gold	230	77 x 102mm	48kN	16kN	20kN	26mm	EN362:2004 B/T, EN12275:2013 X/B
C84K3	I-Beam Steel Klettersteig Kwiklock	Light Gold	251	78 x 102mm	48kN	16kN	20kN	26mm	EN362:2004 B/T, EN12275:2013 X/B
C84K7	I-Beam Steel Klettersteig Locksafe	Light Gold	251	80 x 102mm	48kN	16kN	20kN	26mm	EN362:2004 B/T, EN12275:2013 X/B

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
C892	I-Beam Steel Boa HMS Screwgate	Light Gold	TBC	83 x 122mm	40kN TBC	16kN TBC	18kN TBC	TBC	TBC
C893	I-Beam Steel Boa HMS Kwiklock	Light Gold	TBC	83 x 122mm	40kN TBC	16kN TBC	18kN TBC	TBC	TBC
C897	I-Beam Steel Boa HMS Locksafe	Light Gold	TBC	83 x 122mm	40kN TBC	16kN TBC	18kN TBC	TBC	TBC

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
C412	10mm Equal D Screwgate	Light Gold	172	54 x 105mm	30kN	9kN	10kN	15mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
C413	10mm Equal D Kwiklock	Light Gold	187	54 x 105mm	30kN	9kN	10kN	15mm	EN362:2004 B, EN12275:2013 B, UIAA121:2009
C413ANSI	10mm Equal D Kwiklock ANSI	Light Gold	200	54 x 105mm	30kN	16kN	10kN	14mm	EN362:2004 B, EN12275:2013 B, ANSI/ASSE-Z359.12-2009, CAN/CSA Z259.12-16
C417	10mm Equal D Locksafe	Light Gold	190	54 x 105mm	30kN	9kN	10kN	15mm	EN362:2004 B, EN12275:2013 B
C417ANSI	10mm Equal D Locksafe ANSI	Light Gold	202	54 x 105mm	30kN	16kN	10kN	13mm	EN362:2004 B, EN12275:2013 B, ANSI/ASSE-Z359.12-2009, CAN/CSA Z259.12-16

PRODUCT CODE	DESCRIPTION	COLOUR	WEIGHT (G)	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
C452	10mm Oval Screwgate	Light Gold	172	56 x 106mm	30kN	9kN	10kN	16mm	EN362:2004 B, EN12275:2013 B
C453	10mm Oval Kwiklock	Light Gold	184	56 x 106mm	30kN	9kN	10kN	18mm	EN362:2004 B, EN12275:2013 B
C453ANSI	10mm Oval Kwiklock ANSI	Light Gold	199	56 x 106mm	30kN	16kN	10kN	17mm	EN362:2004 B, EN12275:2013 B, ANSI/ASSE-Z359.12-2009
C457	10mm Oval Locksafe	Light Gold	189	56 x 106mm	30kN	9kN	10kN	18mm	EN362:2004 B, EN12275:2013 B
C457ANSI	10mm Oval Locksafe ANSI	Light Gold	202	56 x 106mm	30kN	16kN	10kN	17mm	EN362:2004 B, EN12275:2013 B, ANSI/ASSE-Z359.12-2009

# Steel Carabiners



## › I-Beam Ultra O

A steel oval carabiner with stable loading characteristics, better strength and durability than its aluminium equivalent.

MAJOR AXIS: 30kN  
WEIGHT: 191g



## › I-Beam Shadow

A compact steel offset D carabiner that is ideal when rigging requires strength and durability, but reducing weight is also important.

MAJOR AXIS: 40kN  
WEIGHT: 151g



## › I-Beam Klettersteig

A very high volume steel carabiner that is easy to use with thick ropes, wide webbing, multiple knots, and while wearing gloves.

MAJOR AXIS: 48kN  
WEIGHT: 230g




## › I-Beam Boa

A high volume steel HMS carabiner with a curved rope basket that gives stable loading and can fit multiple attachments.

MAJOR AXIS: TBC  
WEIGHT: TBC

# Protection



› Alex Schweikart  
glad of her Dragon 8 on the Scotty Burke off-width of  
*Freerider* (5.12d), El Capitan, Yosemite.  
📷 Frank Kretschmann



# Cams



## › Dragonfly Cams NEW

Versatile micro cam protection for narrow cracks and small pockets. The size 1 Dragonfly is the smallest certified climbing cam on the market. The range covers placements from 7.4 to 28.3mm and features:

- 13.75° camming angle - proven optimum combination of holding power, range and performance
- TripleGrip lobes with a 'raw alu' surface - improved grip
- Ergonomic thumb loop and trigger - easy to handle
- Flexible stem cable - minimises walking
- Narrow head width - fits small pockets
- Compact trigger bar - allows deep placements
- Colour coding - quick and easy identification
- Extendable 11mm sling with compact stitch pattern - extend either strand
- Complement Dragon Cams - size 4, 5 and 6 Dragonfly Cams overlap with size 00 to 1 Dragons



## › Dragon Cams

A state of the art cam. The single stem, double axle design with a 13.75° camming angle and TripleGrip lobes make the most of every placement. We recently added a size 7 and 8 to the range for protecting wide cracks and off-widths.

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	ACTIVE STRENGTH	PASSIVE STRENGTH	CAM RANGE	CONFORMANCE
A7551A	Dragonfly 1	51	Green	1	5kN	-	7.4 - 11mm	EN12276:2013
A7552A	Dragonfly 2	52	Red	2	6kN	-	8.7 - 12.9mm	EN12276:2013
A7553A	Dragonfly 3	53	Gold	3	6kN	-	10.2 - 15.2mm	EN12276:2013
A7554A	Dragonfly 4	63	Blue	4	8kN	-	12.1 - 17.9mm	EN12276:2013
A7555A	Dragonfly 5	66	Silver	5	10kN	-	15.1 - 22.5mm	EN12276:2013
A7556A	Dragonfly 6	69	Purple	6	10kN	-	19 - 28.3mm	EN12276:2013

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	ACTIVE STRENGTH	PASSIVE STRENGTH	CAM RANGE	CONFORMANCE
A73500A	Dragon 00	75	Blue	00	10kN	9kN	14 - 21mm	EN12276:2013
A7350A	Dragon 0	85	Silver	0	14kN	12kN	16 - 25mm	EN12276:2013
A7351A	Dragon 1	103	Purple	1	14kN	14kN	20 - 33mm	EN12276:2013
A7352A	Dragon 2	117	Green	2	14kN	14kN	24 - 41mm	EN12276:2013
A7353A	Dragon 3	128	Red	3	14kN	14kN	29 - 50mm	EN12276:2013
A7354A	Dragon 4	154	Gold	4	14kN	14kN	38 - 64mm	EN12276:2013
A7355A	Dragon 5	208	Blue	5	14kN	14kN	50 - 85mm	EN12276:2013
A7356A	Dragon 6	299	Silver	6	14kN	14kN	68 - 114mm	EN12276:2013
A7357A	Dragon 7	362	Purple	7	14kN	14kN	88 - 149mm	EN12276:2013
A7358A	Dragon 8	515	Green	8	14kN	14kN	116 - 195mm	EN12276:2013
A7350/5A	Dragon Set 0-5	870	Assorted	0-5	14kN	12-14kN	16 - 85mm	EN12276:2013
A73500/1A	Dragon Set 00-1	263	Assorted	00,0,1	10-14kN	9-14kN	14 - 33mm	EN12276:2013
A7352/4A	Dragon Set 2-4	399	Assorted	2-4	14kN	14kN	24 - 64mm	EN12276:2013

# Passive Protection



## › Walnuts

Walnuts form the core of a trad climbing protection rack. Lightweight, versatile, and easy to place, they give effective protection in all rock types.



## › HB Alloy Offsets

Nuts with an offset taper that allows them to protect flared and irregular cracks.



## › Torque Nuts

Lightweight protection for large or parallel sided cracks.



## › Wired Torque Nuts NEW

All the versatility of a Torque Nut but easier to control placing above your head and a more durable option for winter use.




## › Peenuts

Offset micro-nuts that effectively protect small flared cracks and peg scars.



## › Micro Walnuts


Straight sided micro-nuts that offer security in small placements.



› **Brass IMPs**  
Straight sided brass micro-nuts that effectively protect small cracks.



› **HB Brass Offsets**  
Brass micro-nuts with an offset taper suitable for protecting small flared cracks.



› **Nutbuster**  
An essential tool for retrieving rock climbing protection.

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	DIMENSIONS	STRENGTH	CONFORMANCE
A1611A	Walnut 1	15	Purple	1	6.7 / 14.3mm	7kN	EN12270:2013
A1612A	Walnut 2	26	Green	2	8.1 / 15.8mm	9kN	EN12270:2013
A1613A	Walnut 3	28	Silver	3	9.4 / 16.5mm	11kN	EN12270:2013
A1614A	Walnut 4	30	Gold	4	11.0 / 17.6mm	12kN	EN12270:2013
A1615A	Walnut 5	32	Blue	5	13.2 / 19.4mm	12kN	EN12270:2013
A1616A	Walnut 6	39	Red	6	15.6 / 22.6mm	12kN	EN12270:2013
A1617A	Walnut 7	40	Grey	7	18.9 / 25.8mm	12kN	EN12270:2013
A1618A	Walnut 8	45	Turquoise	8	22.3 / 29.0mm	12kN	EN12270:2013
A1619A	Walnut 9	50	Gold	9	25.2 / 32.1mm	12kN	EN12270:2013
A1620A	Walnut 10	56	Silver	10	28.8 / 32.6mm	12kN	EN12270:2013
A1621A	Walnut 11	68	Green	11	33.1 / 37.4mm	12kN	EN12270:2013

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	DIMENSIONS	STRENGTH	CONFORMANCE
A1817A	HB Alloy Offset 7	27	Gold	7	12.0 / 15.1mm	12kN	EN12270:2013
A1818A	HB Alloy Offset 8	30	Blue	8	13.5 / 17.9mm	12kN	EN12270:2013
A1819A	HB Alloy Offset 9	37	Red	9	17.1 / 21.4mm	12kN	EN12270:2013
A1820A	HB Alloy Offset 10	45	Grey	10	19.4 / 25.1mm	12kN	EN12270:2013
A1821A	HB Alloy Offset 11	56	Turquoise	11	23.2 / 30.0mm	12kN	EN12270:2013

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	DIMENSIONS	STRENGTH	CONFORMANCE
A1741	Torque Nut 1	54	Green	1	31 / 41mm	14kN	EN12270:2013
A1742	Torque Nut 2	70	Red	2	36 / 49mm	14kN	EN12270:2013
A1743	Torque Nut 3	104	Gold	3	44 / 59mm	14kN	EN12270:2013
A1744	Torque Nut 4	146	Blue	4	54 / 71mm	14kN	EN12270:2013

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	DIMENSIONS	STRENGTH	CONFORMANCE
A1751	Wired Torque Nut 1	69	Green	1	31 / 41mm	12kN	EN12270:2013
A1752	Wired Torque Nut 2	86	Red	1	36 / 49mm	12kN	EN12270:2013
A1753	Wired Torque Nut 3	114	Gold	1	44 / 59mm	12kN	EN12270:2013
A1754	Wired Torque Nut 4	161	Blue	1	54 / 71mm	12kN	EN12270:2013

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	DIMENSIONS	STRENGTH	CONFORMANCE
A1511A	Peenut 1	8	Red	1	6.5 / 11.5mm	4kN	EN12270:2013
A1512A	Peenut 2	9	Grey	2	6.8 / 12.1mm	5kN	EN12270:2013
A1513A	Peenut 3	10	Purple	3	7.8 / 12.7mm	5kN	EN12270:2013
A1514A	Peenut 4	16	Green	4	8.9 / 13.2mm	8kN	EN12270:2013
A1515A	Peenut 5	18	Silver	5	9.2 / 13.9mm	8kN	EN12270:2013

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	DIMENSIONS	STRENGTH	CONFORMANCE
A1600A	Micro Walnut 00	5	Gold	00	4.0 / 9.7mm	2kN	EN12270:2013
A1610A	Micro Walnut 0	6	Blue	0	4.6 / 10.8mm	2kN	EN12270:2013
A1658A	Micro Walnut 0.5	9	Red	0.5	5.1 / 11.7mm	4kN	EN12270:2013
A1659A	Micro Walnut 0.75	10	Grey	0.75	5.9 / 12.6mm	6kN	EN12270:2013

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	DIMENSIONS	STRENGTH	CONFORMANCE
A1721	I.M.P. Brass Nut 1	4	Blue	1	4.0 / 5.6mm	4kN	EN12270:2013
A1722	I.M.P. Brass Nut 2	8	Red	2	4.8 / 6.4mm	5kN	EN12270:2013
A1723	I.M.P. Brass Nut 3	10	Silver	3	6.4 / 7.9mm	5kN	EN12270:2013
A1724	I.M.P. Brass Nut 4	13	Purple	4	7.9 / 9.5mm	7kN	EN12270:2013
A1725	I.M.P. Brass Nut 5	16	Green	5	9.5 / 11.7mm	7kN	EN12270:2013

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	DIMENSIONS	STRENGTH	CONFORMANCE
A1700	HB Brass Offset 0	4	Gold	0	3.7 / 5.5mm	2kN	EN12270:2013
A1701	HB Brass Offset 1	7	Blue	1	4.3 / 6.5mm	4kN	EN12270:2013
A1702	HB Brass Offset 2	9	Red	2	5.6 / 7.5mm	5kN	EN12270:2013
A1703	HB Brass Offset 3	10	Grey	3	6.0 / 8.5mm	5kN	EN12270:2013
A1704	HB Brass Offset 4	14	Purple	4	7.5 / 10.2mm	7kN	EN12270:2013
A1705	HB Brass Offset 5	17	Green	5	8.6 / 11.7mm	7kN	EN12270:2013
A1706	HB Brass Offset 6	24	Silver	6	9.8 / 13.9mm	10kN	EN12270:2013

	PRODUCT CODE	WEIGHT (G)	COLOUR
Nutbuster	C1251	57	Steel
Nutbuster Rubber Handle	C1252-01	-	Assorted

# Passive Protection Sets



- › **Walnut Sets**
- Set of sizes 1 - 11
  - Set of sizes 1 - 6
  - Set of sizes 3 - 8
  - Set of sizes 7 - 11



- › **HB Alloy Offset Set**
- Set of sizes 7 - 11



- › **Torque Nut Set**
- Set of sizes 1 - 4



- › **Wired Torque Nut Set**
- Set of sizes 1 - 4



# Protection Packs

## › Protection Packs

Sets of our passive protection that make the perfect starting point for building a comprehensive climbing rack.



PRODUCT CODE	DESCRIPTION	COLOUR	SIZE	CONFORMANCE
NUTSET1	Walnut set 1-11, Alloy Offset set 7-11.	Assorted	Assorted	EN12270:2013
NUTSET2	Walnut set 1-11, Torque set 1-4.	Assorted	Assorted	EN12270:2013
NUTSET3	Walnut set 1-11, Alloy Offset set 7-11, Torque set 1-4	Assorted	Assorted	EN12270:2013

## › Peenut Set

- Set of sizes 1 - 5



## › Micro Walnut

- Set of sizes 00 - 0.75



## › Brass IMP Sets

- Set of sizes 1 - 5
- Set of sizes 2 - 4



## › HB Brass Offset Sets

- Set of sizes 0 - 6
- Set of sizes 2 - 4



# Scrambling Packs

## › Scrambling Pack Standard

A pack containing all the hardware you need to protect straight forward scrambles. It can also be used as the basis for a starter rack.



- 30m dry-treated Crux 9.1mm
- Walnut 1-11 on Aero Straight
- Mantis and Rhino belay set
- 2 x 18cm Spectre quickdraws
- 2 x 60cm extenable Spectre quickdraws
- 2 x 120cm and 1 x 240cm 11mm slings with Aero screwgates
- Nutbuster on Aero Straight gate
- Rhino and Aero screwgate

## › Scrambling Pack Deluxe

A pack with a wider range of hardware than the standard pack, for scrambles which may contain sections considered as low-grade rock climbing.



- 30m dry-treated Crux 9.1mm
- Walnut 1 - 11 on Shadow Straight
- Pivot and Rhino belay set
- 2 x 18cm Phantom quickdraw
- 3 x 60cm extendable Phantom quickdraws
- 2 x 120cm and 1 x 240cm 11mm slings with Shadow screwgates
- Nutbuster on Shadow Straight
- Rhino and Shadow screwgate
- Dragon Cams size 2 and 3 on coloured Phantom wiregates
- Torque Nuts size 1 - 3 on Shadow Straight

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	DIMENSIONS	STRENGTH	CONFORMANCE
A1611/16A	Walnut Set 1-6	170	Assorted	1-6	-	-	EN12270:2013
A1611/21A	Walnut Set 1-11	429	Assorted	1-11	-	-	EN12270:2013
A1613/18A	Walnut Set 3-8	214	Assorted	3-8	-	-	EN12270:2013
A1617/21A	Walnut Set 7-11	259	Assorted	7-11	-	-	EN12270:2013

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	DIMENSIONS	STRENGTH	CONFORMANCE
A1817/21A	HB Alloy Offset Set 7-11	195	Assorted	7-11	-	-	EN12270:2013

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	DIMENSIONS	STRENGTH	CONFORMANCE
A1741/44	Torque Nut Set 1-4	374	Assorted	1-4	-	-	EN12270:2013

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	DIMENSIONS	STRENGTH	CONFORMANCE
A1751/54	Wired Torque Nut Set 1-4	430	Assorted	1-4	-	-	EN12270:2013


PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	DIMENSIONS	STRENGTH	CONFORMANCE
A1511/15A	Peenut Set 1-5	61	Assorted	1-5	-	-	EN12270:2013, EN12270:2013, EN12270:2013

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	DIMENSIONS	STRENGTH	CONFORMANCE
A1600/59A	Micro Walnut Set 00-0.75	30	Assorted	00-0.75	-	-	EN12270:2013

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	DIMENSIONS	STRENGTH	CONFORMANCE
A1721/25	I.M.P. Brass Nut Set 1-5	51	Assorted	1-5	-	-	EN12270:2013
A1722/24	I.M.P. Brass Nut Set 2-4	31	Assorted	2-4	-	-	EN12270:2013
A1700/06	HB Brass Offset Set 0-6	85	Assorted	0-6	-	-	EN12270:2013
A1702/04	HB Brass Offset Set 2-4	33	Assorted	2-4	-	-	EN12270:2013

PRODUCT CODE	DESCRIPTION	COLOUR	SIZE	CONFORMANCE
SCRAMBPKDELUX	Standard Scrambling Packs	-	-	-
SCRAMBPKSTANDARD	Deluxe Scrambling Packs	-	-	-

# Belay & Abseil



Mantis and Ceros at the crag.  
© Ray Wood



# Belay Devices



## › Pivot

A versatile, high performance belay device which gives easily controlled lowering of one or two seconds in guide mode. The internal geometry provides optimum performance.



## › Pivot/Phantom HMS Belay and Captiv8 Pack


**NEW**

A compact and lightweight technical belay set. The Captiv8 promotes the correct orientation of the carabiner.



## › Mantis

A lightweight belay device that inspires confident belaying. Like the Pivot, it is suitable for all round climbing with single, half, or twin ropes.



## › Mantis/Ceros Belay Pack

**UPDATED**

Minimise the risk of cross-loading using the Ceros on your belay loop, together with the holding power of the Mantis.



## › Beetle

**NEW**

A classic tube style belay device for belaying, lowering, and abseiling. Equally at home on the crag as it is at the gym.



## › Beetle/Belay Master 2 Belay Pack

**NEW**

The perfect belay set for beginners that is suited to making the transition from indoors to outdoors.

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	ROPE DIAMETER	CONFORMANCE
A1160BL	Pivot	72	Blue	half/twin: 7.3mm-9.2mm   single: 8.7mm-11mm	EN15151-2:2012
A1160GR	Pivot	72	Green	half/twin: 7.3mm-9.2mm   single: 8.7mm-11mm	EN15151-2:2012
A1160RD	Pivot	72	Red	half/twin: 7.3mm-9.2mm   single: 8.7mm-11mm	EN15151-2:2012
A1160BL/572	Pivot/Phantom HMS/Captiv8 Set	130	Blue	half/twin: 7.3mm-9.2mm   single: 8.7mm-11mm	EN15151-2:2012, EN362:2004 B, EN12275:2013 B/H
A1160GR/572	Pivot/Phantom HMS/Captiv8 Set	130	Green	half/twin: 7.3mm-9.2mm   single: 8.7mm-11mm	EN15151-2:2012, EN362:2004 B, EN12275:2013 B/H
A1160RD/572	Pivot/Phantom HMS/Captiv8 Set	130	Red	half/twin: 7.3mm-9.2mm   single: 8.7mm-11mm	EN15151-2:2012, EN362:2004 B, EN12275:2013 B/H

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	ROPE DIAMETER	CONFORMANCE
A1165BLT	Mantis	45	Titanium	half/twin: 7.3mm-9.2mm   single: 8.5mm-11mm	EN15151-2:2012
A1165OR	Mantis	45	Orange	half/twin: 7.3mm-9.2mm   single: 8.5mm-11mm	EN15151-2:2012
A1165PR	Mantis	45	Purple	half/twin: 7.3mm-9.2mm   single: 8.5mm-11mm	EN15151-2:2012
A1165BLT/562	Mantis/Ceros Set	131	Titanium	half/twin: 7.3mm-9.2mm   single: 8.5mm-11mm	EN15151-2:2012, EN362:2004 B/T, EN12275:1998 B/H
A1165OR/562	Mantis/Ceros Set	131	Orange	half/twin: 7.3mm-9.2mm   single: 8.5mm-11mm	EN15151-2:2012, EN362:2004 B/T, EN12275:1998 B/H
A1165PR/562	Mantis/Ceros Set	131	Purple	half/twin: 7.3mm-9.2mm   single: 8.5mm-11mm	EN15151-2:2012, EN362:2004 B/T, EN12275:1998 B/H

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	ROPE DIAMETER	CONFORMANCE
A1175BLT	Beetle	54g	Titanium	half/twin: 7.3mm-9.2mm   single: 8.5mm-11mm	EN15151-2
A1175BL	Beetle	54g	Blue	half/twin: 7.3mm-9.2mm   single: 8.5mm-11mm	EN15151-2
A1175RD	Beetle	54g	Red	half/twin: 7.3mm-9.2mm   single: 8.5mm-11mm	EN15151-2
A1175BLT/872	Beetle/Belay Master 2 Set	147g	Titanium	half/twin: 7.3mm-9.2mm   single: 8.5mm-11mm	EN15151-2, EN 362:2004 B, EN 12275:1998 B & H
A1175BL/872	Beetle/Belay Master 2 Set	147g	Blue	half/twin: 7.3mm-9.2mm   single: 8.5mm-11mm	EN15151-2, EN 362:2004 B, EN 12275:1998 B & H
A1175RD/872	Beetle/Belay Master 2 Set	147g	Red	half/twin: 7.3mm-9.2mm   single: 8.5mm-11mm	EN15151-2, EN 362:2004 B, EN 12275:1998 B & H

# Abseil Devices



## › Anka

An abseil device that is purpose built for extended abseiling and heavy use.



## › Cardiac Arrester

An abseil device with two friction modes, for increased control over both thick and thin ropes.



## › Figure 8


The classic abseil device, ideal for walls and centres running group abseil sessions.

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	ROPE DIAMETER	CONFORMANCE
A1110	Cardiac Arrester	133	Red	8.9-11mm, 7.3-9.2mm	EN15151-2:2012

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	ROPE DIAMETER	CONFORMANCE
A1100	Anka	169	Silver	8.9-11mm, 7.3-9.2mm	EN15151-2:2012

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	ROPE DIAMETER	CONFORMANCE
A1150P	Figure 8	116	Silver	8.9-11mm, 7.3-9.2mm	EN15151-2:2012
A1150/872	Figure 8 + Belay Master	209	Silver/Titanium	8.9-11mm, 7.3-9.2mm	EN15151-2:2012, EN362:2004 B/T, EN12275:1998 B/H


# Winter



› Nick Bullock  
heading up the first pitch of Mick Fowler and Victor  
Saunders' ultra-classic *Shield Direct* (VII 7),  
Ben Nevis, Scotland.  
📷 Guy Robertson




# Ice Axes




› **Switch**

A top end, highly technical climbing tool for the steepest routes.




› **Apex**

A high performance ice axe that excels on both steep climbing and technical mountaineering.



› **Fly**

A highly versatile tool, ideal for those who want a durable axe for climbing and mountaineering.



› **Raptor**

A robust mountaineering tool with the ability to handle steeper terrain.



› **Cirque**

A classic ice axe design that is ideal on winter walking and mountaineering routes.

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	LENGTH	CONFORMANCE
A0391	Switch Axe	684	Red	50cm	EN13089:2011 Type 2
A0392	Switch Hammer	676	Red	50cm	EN13089:2011 Type 2


PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	LENGTH	CONFORMANCE
A0381	Apex Axe	673	Green	50cm	EN13089:2011 Type 2
A0382	Apex Hammer	658	Green	50cm	EN13089:2011 Type 2

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	LENGTH	CONFORMANCE
A0371	Fly Axe	718	Orange	50cm	EN13089:2011 Type 2
A0372	Fly Hammer	721	Orange	50cm	EN13089:2011 Type 2

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	LENGTH	CONFORMANCE
A0351	Raptor Alpine Axe	644	Purple	50cm	EN13089:2011 Type 2
A0352	Raptor Alpine Hammer	664	Purple	50cm	EN13089:2011 Type 2
A0353	Raptor Alpine Axe	665	Purple	55cm	EN13089:2011 Type 2
A0354	Raptor Alpine Hammer	685	Purple	55cm	EN13089:2011 Type 2

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	LENGTH	CONFORMANCE
A0341	Cirque Alpine Axe	565	Blue	50cm	EN13089:2011 Type 2
A0342	Cirque Alpine Axe	583	Blue	55cm	EN13089:2011 Type 2
A0343	Cirque Alpine Axe	604	Blue	60cm	EN13089:2011 Type 2
A0344	Cirque Alpine Axe	626	Blue	65cm	EN13089:2011 Type 2
A0346	Cirque Alpine Hammer	591	Blue	50cm	EN13089:2011 Type 2

# Winter Protection



› **Bulldog & Terrier**

Versatile drive-in pieces of winter protection that can create secure placements in frozen turf and thin cracks.




› **Deadman**

The Deadman offers protection when snow is the only option.

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	STRENGTH	CONFORMANCE
C1375	Bulldog - Ice Anchor	150	Black	15kN	Manufacturers Technical Specification QAP77
C1385	Terrier - Ice Anchor	73	Black	15kN	Manufacturers Technical Specification QAP77


PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	STRENGTH	CONFORMANCE
A1300	Deadman	360	Red	-	Manufacturers Technical Specification QAP74

# Winter Accessories



› **Freedom Leash**

Tethers that give the freedom of climbing leashless, but stop you losing your axe if you drop it.




› **Slide Lock Leash**

Intuitive to use and operable with one hand featuring a minimalist design for improved functionality and durability.



› **Grippy Grip Tape**

Grippy Grip Tape is perfect for providing extra grip when using the upper hand rest and provides extra insulation.



› **Vault**

A robust aluminium racking carabiner that keeps valuable ice screws safe and secure, and allows efficient selection of the correct length.

MBS: 3kN  
WEIGHT: 63g  
NON-PPE

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	CONFORMANCE
A0130	Freedom Leash	42	Black	-
A0130-318	Freedom Leash/Phantom Pack	100	Black/Red	Phantom - EN362:2004 B, EN12275:1998 B


PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	CONFORMANCE
A0140	Slide Lock Leash	25	Black	-

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	CONFORMANCE
A0PIB-3	Grippy Grip Tape	37	Black	-

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	CONFORMANCE
A558	Vault Wiregate	63	Black	-
A558-2PACK	Vault Wiregate 2 Pack	126	Black	-

\* See website for winter spares.


# Harnesses



› Emma Twyford  
crimping hard on *Melancholie* (8b),  
Lower Pen Trwyn, Wales.  
📷 Ray Wood



› **Trance** NEW



A lightweight fixed leg unisex harness for performance climbing.

---

WEIGHT: 295 / 315 / 335 / 355 / 370g

› **Mithril** UPDATED




Men's lightweight, fully adjustable harness for climbing in all seasons.

---

WEIGHT: 350 / 365 / 370 / 390g

› **Renegade** UPDATED



Men's fully featured all round supportive harness that is suitable for climbing in summer and winter.

---

WEIGHT: 395 / 415 / 450g

› **Viper** UPDATED




Men's highly featured all round harness with streamlined racking, suitable for climbing in summer and winter.

---

WEIGHT: 365 / 400 / 435g

› **Tomcat**



The Tomcat is a well featured harness that is sized specifically for younger climbers.

---

WEIGHT: 385g

› **Venture** UPDATED



Women's lightweight fully adjustable harness, for climbing in all seasons.

---

WEIGHT: 320 / 340 / 365 / 380g

› **Puma** UPDATED




A supportive, fully featured women's all round harness that is suitable for climbing in summer and winter.

---

WEIGHT: 350 / 370 / 395 / 430g

› **Vixen** UPDATED




A highly featured women's all round harness with streamlined racking, suitable for climbing in summer and winter.

---

WEIGHT: 345 / 360 / 370 / 410g

› **Tom Kitten**



A full body kids harness that maximises support and stability for younger climbers.

---

WEIGHT: 330g

› **Super Couloir**




The Super Couloir is a lightweight harness for mountaineering, ice climbing, and ski touring.

---

WEIGHT: 340 / 350 / 385 / 395g

› **Bandolier**



A bandolier that gives extra racking space.

---

WEIGHT: 135g

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
HU102PR-XS	<b>Trance</b>	295	Purple	XS	49 - 54	19 - 21	61 - 68	24 - 27	EN12277 C
HU102PR-S	<b>Trance</b>	315	Purple	S	53 - 58	21 - 23	67 - 76	26 - 30	EN12277 C
HU102PR-M	<b>Trance</b>	335	Purple	M	57 - 62	22 - 24	75 - 85	30 - 33	EN12277 C
HU102PR-L	<b>Trance</b>	355	Purple	L	61 - 66	24 - 26	83 - 94	33 - 37	EN12277 C
HU102PR-XL	<b>Trance</b>	370	Purple	XL	65 - 70	26 - 28	92 - 103	36 - 41	EN12277 C

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
HM101RD-S	<b>Mithril</b>	350	Red	S	52 - 67	20 - 26	70 - 80	28 - 31	EN12277 C
HM101RD-M	<b>Mithril</b>	365	Red	M	56 - 71	22 - 28	78 - 88	31 - 35	EN12277 C
HM101RD-L	<b>Mithril</b>	370	Red	L	60 - 75	24 - 30	86 - 96	34 - 38	EN12277 C
HM101RD-XL	<b>Mithril</b>	390	Red	XL	64 - 79	25 - 31	94 - 104	37 - 41	EN12277 C

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
HW101BL-XS	<b>Venture</b>	320	Blue	XS	46 - 61	18 - 24	56 - 66	22 - 26	EN12277 C
HW101BL-S	<b>Venture</b>	340	Blue	S	52 - 67	20 - 26	64 - 74	25 - 29	EN12277 C
HW101BL-M	<b>Venture</b>	365	Blue	M	56 - 71	22 - 28	72 - 82	28 - 32	EN12277 C
HW101BL-L	<b>Venture</b>	380	Blue	L	60 - 75	24 - 30	80 - 90	31 - 35	EN12277 C

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
HM103RD-S	<b>Renegade</b>	395	Red	S	45 - 58	18 - 23	64 - 79	25 - 31	EN12277 C
HM103RD-M	<b>Renegade</b>	415	Red	M	50 - 63	20 - 25	75 - 91	30 - 36	EN12277 C
HM103RD-L	<b>Renegade</b>	450	Red	L	55 - 70	22 - 28	87 - 104	34 - 41	EN12277 C

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
HW103PR-XS	<b>Puma</b>	350	Purple	XS	43 - 52	17 - 20	57 - 69	22 - 27	EN12277 C
HW103PR-S	<b>Puma</b>	370	Purple	S	47 - 56	19 - 22	61 - 71	24 - 28	EN12277 C
HW103PR-M	<b>Puma</b>	395	Purple	M	53 - 62	21 - 24	66 - 80	26 - 31	EN12277 C
HW103PR-L	<b>Puma</b>	430	Purple	L	58 - 67	23 - 26	75 - 91	30 - 36	EN12277 C

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
HM104BL-S	<b>Viper</b>	365	Blue	S	45 - 58	18 - 23	64 - 79	25 - 31	EN12277 C
HM104BL-M	<b>Viper</b>	400	Blue	M	50 - 63	20 - 25	75 - 91	30 - 36	EN12277 C
HM104BL-L	<b>Viper</b>	435	Blue	L	55 - 70	22 - 28	87 - 104	34 - 41	EN12277 C

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
HW104BL-XS	<b>Vixen</b>	345	Light Blue	XS	43 - 52	17 - 20	57 - 69	22 - 27	EN12277 C
HW104BL-S	<b>Vixen</b>	360	Light Blue	S	47 - 56	19 - 22	61 - 71	24 - 28	EN12277 C
HW104BL-M	<b>Vixen</b>	370	Light Blue	M	53 - 62	21 - 24	66 - 80	26 - 31	EN12277 C
HW104BL-L	<b>Vixen</b>	410	Light Blue	L	58 - 67	23 - 26	75 - 91	30 - 36	EN12277 C

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
TOMC	<b>Tomcat</b>	385	Red/Grey	One size	40 - 50	16 - 20	50 - 75	20 - 30	EN12277 C
TOMK	<b>Tom Kitten</b>	330	Red/Grey	One size	23 - 55	9 - 22	30 - 62	19 - 25	EN12277 B

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
COUL-S	<b>Super Couloir</b>	340	Black	S	50 - 55	20 - 22	68 - 90	27 - 35	EN12277 C
COUL-M	<b>Super Couloir</b>	350	Black	M	60 - 70	24 - 28	79 - 100	31 - 39	EN12277 C
COUL-L	<b>Super Couloir</b>	385	Black	L	65 - 75	26 - 30	90 - 114	35 - 45	EN12277 C
COUL-XL	<b>Super Couloir</b>	395	Black	XL	70 - 80	28 - 31	100 - 130	39 - 51	EN12277 C

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
BANDOLIER	<b>Bandolier</b>	135	Grey/Red	One size	-	-	-	-	-

# Harness Packs

## › Viper Harness Pack

Viper harness, chalk bag, chalk ball, HMS carabiner and belay device.



## › Vixen Harness Pack

Vixen harness, chalk bag, chalk ball, HMS carabiner and belay device.

PRODUCT CODE	DESCRIPTION	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
HM104PKBL-S	Viper 2 Pack	Blue	S	45 - 58	18 - 23	64 - 79	25 - 31	EN12277 C
HM104PKBL-M	Viper 2 Pack	Blue	M	50 - 63	20 - 25	75 - 91	30 - 36	EN12277 C
HM104PKBL-L	Viper 2 Pack	Blue	L	55 - 70	22 - 28	87 - 104	34 - 41	EN12277 C

PRODUCT CODE	DESCRIPTION	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
HW104PKBL-XS	Vixen Pack	Light Blue	XS	43 - 52	17 - 20	57 - 69	22 - 27	EN12277 C
HW104PKBL-S	Vixen Pack	Light Blue	S	47 - 56	19 - 22	61 - 71	24 - 28	EN12277 C
HW104PKBL-M	Vixen Pack	Light Blue	M	53 - 62	21 - 24	66 - 80	26 - 31	EN12277 C
HW104PKBL-L	Vixen Pack	Light Blue	L	58 - 67	23 - 26	75 - 91	30 - 36	EN12277 C



› Ruby Wood  
competing in the Youth Climbing Series at the  
Beacon Climbing Centre  
© Ray Wood

# Walls & Centres



# Stal Anchor



## › Stal Anchor

**NEW**

A truly independent and equalised stainless steel climbing wall anchor available in three configurations for leading or bottom roping.

PRODUCT CODE	DESCRIPTION	COLOUR
ST-SSTP	Stal Anchor	Black
ST-SSTPMR	Stal Stainless Bottom Rope Anchor	Black
ST-SSTPAS	Stal Stainless Lead Anchor	Black

# Alpha Steel



## › Alpha Steel

Forging the ergonomic Alpha shape in steel creates the best handling gym draw on the market.

MAJOR AXIS: 26kN  
WEIGHT: 133g

PRODUCT CODE	DESCRIPTION	COLOUR	DIMENSIONS	MBS (MAJOR AXIS)	MBS (MINOR AXIS)	MBS (GATE OPEN)	GATE OPENING	CONFORMANCE
C526	Alpha Steel	Black	62 x 107mm	26kN	9kN	14kN	25mm	EN12275:2013 B
C526-12	Alpha Steel 12cm VW QD	Black	12cm	-	-	-	25mm	EN12275:2013 B, EN566:2006
C526-18	Alpha Steel 18cm VW QD	Black	18cm	-	-	-	25mm	EN12275:2013 B, EN566:2006
C526-12MR	Alpha Steel 12cm VW QD 10mm PPE Maillon	Black/Silver	12cm	-	-	-	25mm	EN12275:2013 B, EN566:2006, EN12275:2013
C526-18MR	Alpha Steel 18cm VW QD 10mm PPE Maillon	Black/Silver	18cm	-	-	-	25mm	EN12275:2013 B, EN566:2006, EN12275:2013
C526CB	Alpha Steel Captive Bar	Black	62 x 107mm	26kN	9kN	14kN	25mm	EN12275:2013 B
C526CB-12	Alpha Steel Captive Bar 12cm VW QD	Black	12cm	-	-	-	25mm	EN12275:2013 B, EN566:2006
C526CB-18	Alpha Steel Captive Bar 18cm VW QD	Black	18cm	-	-	-	25mm	EN12275:2013 B, EN566:2006
C526CB-12MR	Alpha Steel Captive Bar 12cm VW QD 10mm PPE maillon	Black/Silver	12cm	-	-	-	25mm	EN12275:2013 B, EN566:2006, EN12275:2013
C526CB-18MR	Alpha Steel Captive Bar 18cm VW QD 10mm PPE maillon	Black/Silver	18cm	-	-	-	25mm	EN12275:2013 B, EN566:2006, EN12275:2013

# Harnesses



## › Brenin

A centre specific webbing harness with a classic belay loop configuration.

WEIGHT: 450 / 470g



## › Alpine

A robust centre specific harness with a wide range of fit.

WEIGHT: 400 / 405 / 425g



## › Chest Harness

A chest harness for increased security in situations where inversion is possible.

WEIGHT: 310g



## › Alpine ABS

A robust centre specific harness with a wide sizing range and secure ABS buckles.

WEIGHT: 400 / 405 / 425g



## › Bridge Sling

A connecting component that joins a chest and sit harness.

WEIGHT: 34 / 42g



## › Alpine Accessories

Spare gear loops and leg loop restraining straps for the Alpine harness.

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
ALPINEXS	Alpine XS	400	Black/Blue	XS	30 - 70	12 - 28	40 - 90	16 - 35	EN12277:2015 C
ALPINE	Alpine Regular	405	Black/Gold	Regular	40 - 70	16 - 28	40 - 125	16 - 49	EN12277:2015 C
ALPINEXL	Alpine XL	425	Black/Red	XL	50 - 90	20 - 35	60 - 150	24 - 59	EN12277:2015 C

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
ALPINEABSXS	Alpine ABS XS	400	Black/Blue	XS	30 - 70	12 - 28	40 - 90	16 - 35	EN12277:2015 C
ALPINEABS	Alpine ABS Regular	405	Black/Gold	Regular	40 - 70	16 - 28	40 - 125	16 - 49	EN12277:2015 C
ALPINEABSXL	Alpine ABS XL	425	Black/Red	XL	50 - 90	20 - 35	60 - 150	24 - 59	EN12277:2015 C

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
BRENIN	Brenin Regular	450	Black/Gold	Regular	45 - 80	18 - 31	45 - 125	18 - 49	EN12277:2015 C
BRENINXL	Brenin XL	470	Black/Red	XL	50 - 85	20 - 33	55 - 155	22 - 61	EN12277:2015 C

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
CHESTH	Chest Harness	310	Black	One size	-	-	75 - 115	30 - 45	EN12277:2015 D

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
GLALPINE	Alpine Gear Loop	-	Black	One size	-	-	-	-	-
RSALPINE	Alpine Restraining Straps	-	Black	One size	-	-	-	-	-

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	LEGS (CM)	LEGS (IN)	WAIST (CM)	WAIST (IN)	CONFORMANCE
MA16LN-15	Bridge Sling	34	Black	15cm	-	-	-	-	EN566:2006
MA16LN-20	Bridge Sling	42	Black	20cm	-	-	-	-	EN566:2006

# Helmets

## › Ascent Helmet



A simple, easy to adjust hardshell helmet with a wide size range.



## › Ascent Kid's Helmet

A simple, easy to adjust hardshell helmet specifically designed for kids.

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	COLOUR	SIZE	CONFORMANCE
HELM-O	Ascent	375	Orange	54 - 62cm	EN12492:2012
HELM-W	Ascent	375	White	54 - 62cm	EN12492:2012
HELMK-O	Ascent Kid's	340	Orange	48 - 57cm	EN12492:2012
HELMK-W	Ascent Kid's	340	White	48 - 57cm	EN12492:2012

# Shoes

## › Gym Shoes



A durable and comfortable climbing shoe designed for the wall environment.

PRODUCT CODE	DESCRIPTION	UK SHOE SIZE	COLOUR
RBOOT-GYM3	Velcro Gym Shoes	3	Red/Grey/Black
RBOOT-GYM4		4	Red/Grey/Black
RBOOT-GYM5		5	Red/Grey/Black
RBOOT-GYM6		6	Red/Grey/Black
RBOOT-GYM7		7	Red/Grey/Black
RBOOT-GYM8		8	Red/Grey/Black
RBOOT-GYM9		9	Red/Grey/Black
RBOOT-GYM10		10	Red/Grey/Black
RBOOT-GYM11		11	Red/Grey/Black
RBOOT-GYM12		12	Red/Grey/Black
RBOOT-GYM13		13	Red/Grey/Black



› Ben Bransby  
about to hit lactic acid overload on *Golden Boy* (5.13b/8a ), Red River Gorge, USA.  
📷 Ray Wood

# Ropes & Rope Protection



# Dynamic Ropes

**Update:** DMM dynamic ropes now come with tangle free 3D coil technology for easy uncoiling.



## › Couloir

**UPDATED**

A lightweight, dry treated half and twin rope suitable for alpine, winter and lightweight trad climbing.

DIAMETER: 8.0mm



## › Pitch

**UPDATED**

A dry treated, high performance half rope suitable for year round trad and winter climbing.

DIAMETER: 8.5mm



## › Crux

**UPDATED**

A dry treated, lightweight, triple rated rope.

DIAMETER: 9.1mm



## › Orbit

**UPDATED**

A versatile dry treated single rope that can be used on rock, ice, and mixed climbing terrain.

DIAMETER: 9.6mm



## › Zone

**UPDATED**

A durable single rope for indoor wall, sport and trad climbing.

DIAMETER: 9.8mm



## › Statement

**UPDATED**

A tough, single rope that is perfect for new climbers.

DIAMETER: 10.0mm



## › Super Big Jim

A highly durable dynamic rope built for heavy duty use at climbing walls and outdoor centres.

DIAMETER: 10.5mm

PRODUCT CODE	DESCRIPTION	ROPE DIAMETER	LENGTH	COLOUR	WEIGHT (G/M)	ROPE TYPE	UIAA FALLS	IMPACT FORCE	SHEATH (%)	SHEATH SLIPPAGE	CONFORMANCE
RP220BL-50	Couloir	8.0mm	50m	Blue	43g/m	Half/Twin	7/25	6.6/10.3kN	34	0mm	EN892:2012 + A1 2016
RP220BL-60	Couloir	8.0mm	60m	Blue	43g/m	Half/Twin	7/25	6.6/10.3kN	34	0mm	EN892:2012 + A1 2016
RP220RD-50	Couloir	8.0mm	50m	Red	43g/m	Half/Twin	7/25	6.6/10.3kN	34	0mm	EN892:2012 + A1 2016
RP220RD-60	Couloir	8.0mm	60m	Red	43g/m	Half/Twin	7/25	6.6/10.3kN	34	0mm	EN892:2012 + A1 2016

PRODUCT CODE	DESCRIPTION	ROPE DIAMETER	LENGTH	COLOUR	WEIGHT (G/M)	ROPE TYPE	UIAA FALLS	IMPACT FORCE	SHEATH (%)	SHEATH SLIPPAGE	CONFORMANCE
RP221BL-50	Pitch	8.5mm	50m	Navy Blue	49g/m	Half/Twin	13	6.5kN	49	0mm	EN892:2012 + A1 2016
RP221BL-60	Pitch	8.5mm	60m	Navy Blue	49g/m	Half/Twin	13	6.5kN	49	0mm	EN892:2012 + A1 2016
RP221OR-50	Pitch	8.5mm	50m	Orange	49g/m	Half/Twin	13	6.5kN	49	0mm	EN892:2012 + A1 2016
RP221OR-60	Pitch	8.5mm	60m	Orange	49g/m	Half/Twin	13	6.5kN	49	0mm	EN892:2012 + A1 2016

PRODUCT CODE	DESCRIPTION	ROPE DIAMETER	LENGTH	COLOUR	WEIGHT (G/M)	ROPE TYPE	UIAA FALLS	IMPACT FORCE	SHEATH (%)	SHEATH SLIPPAGE	CONFORMANCE
RP222GR-30	Crux	9.1mm	30m	Stealth Green	54g/m	Half/Single/Twin	5/20/22	8.9/6.9/10.6kN	33	0mm	EN892:2012 + A1 2016
RP222GR-40	Crux	9.1mm	40m	Stealth Green	54g/m	Half/Single/Twin	5/20/22	8.9/6.9/10.6kN	33	0mm	EN892:2012 + A1 2016
RP222GR-50	Crux	9.1mm	50m	Stealth Green	54g/m	Half/Single/Twin	5/20/22	8.9/6.9/10.6kN	33	0mm	EN892:2012 + A1 2016
RP222GR-60	Crux	9.1mm	60m	Stealth Green	54g/m	Half/Single/Twin	5/20/22	8.9/6.9/10.6kN	33	0mm	EN892:2012 + A1 2016
RP222GR-70	Crux	9.1mm	70m	Stealth Green	54g/m	Half/Single/Twin	5/20/22	8.9/6.9/10.6kN	33	0mm	EN892:2012 + A1 2016
RP222GR-80	Crux	9.1mm	80m	Stealth Green	54g/m	Half/Single/Twin	5/20/22	8.9/6.9/10.6kN	33	0mm	EN892:2012 + A1 2016
RP222RD-30	Crux	9.1mm	30m	Red	54g/m	Half/Single/Twin	5/20/22	8.9/6.9/10.6kN	33	0mm	EN892:2012 + A1 2016
RP222RD-40	Crux	9.1mm	40m	Red	54g/m	Half/Single/Twin	5/20/22	8.9/6.9/10.6kN	33	0mm	EN892:2012 + A1 2016
RP222RD-50	Crux	9.1mm	50m	Red	54g/m	Half/Single/Twin	5/20/22	8.9/6.9/10.6kN	33	0mm	EN892:2012 + A1 2016
RP222RD-60	Crux	9.1mm	60m	Red	54g/m	Half/Single/Twin	5/20/22	8.9/6.9/10.6kN	33	0mm	EN892:2012 + A1 2016
RP222RD-70	Crux	9.1mm	70m	Red	54g/m	Half/Single/Twin	5/20/22	8.9/6.9/10.6kN	33	0mm	EN892:2012 + A1 2016
RP222RD-80	Crux	9.1mm	80m	Red	54g/m	Half/Single/Twin	5/20/22	8.9/6.9/10.6kN	33	0mm	EN892:2012 + A1 2016

PRODUCT CODE	DESCRIPTION	ROPE DIAMETER	LENGTH	COLOUR	WEIGHT (G/M)	ROPE TYPE	UIAA FALLS	IMPACT FORCE	SHEATH (%)	SHEATH SLIPPAGE	CONFORMANCE
RP223BL-50	Orbit	9.6mm	50m	Cobalt Blue	63g/m	Single	8	8.7kN	38	0mm	EN892:2012 + A1 2016
RP223BL-60	Orbit	9.6mm	60m	Cobalt Blue	63g/m	Single	8	8.7kN	38	0mm	EN892:2012 + A1 2016
RP223BL-70	Orbit	9.6mm	70m	Cobalt Blue	63g/m	Single	8	8.7kN	38	0mm	EN892:2012 + A1 2016
RP223BL-80	Orbit	9.6mm	80m	Cobalt Blue	63g/m	Single	8	8.7kN	38	0mm	EN892:2012 + A1 2016

PRODUCT CODE	DESCRIPTION	ROPE DIAMETER	LENGTH	COLOUR	WEIGHT (G/M)	ROPE TYPE	UIAA FALLS	IMPACT FORCE	SHEATH (%)	SHEATH SLIPPAGE	CONFORMANCE
RP10RD-50	Zone	9.8mm	50m	Sunset Red	63g/m	Single	6	8.7kN	39	0mm	EN892:2012 + A1 2016
RP10RD-60	Zone	9.8mm	60m	Sunset Red	63g/m	Single	6	8.7kN	39	0mm	EN892:2012 + A1 2016
RP10RD-70	Zone	9.8mm	70m	Sunset Red	63g/m	Single	6	8.7kN	39	0mm	EN892:2012 + A1 2016
RP10RD-80	Zone	9.8mm	80m	Sunset Red	63g/m	Single	6	8.7kN	39	0mm	EN892:2012 + A1 2016

PRODUCT CODE	DESCRIPTION	ROPE DIAMETER	LENGTH	COLOUR	WEIGHT (G/M)	ROPE TYPE	UIAA FALLS	IMPACT FORCE	SHEATH (%)	SHEATH SLIPPAGE	CONFORMANCE
RP102BL-30	Statement	10mm	30m	Blue	65g/m	Single	7	8.7kN	38	0mm	EN892:2012 + A1 2016
RP102BL-40	Statement	10mm	40m	Blue	65g/m	Single	7	8.7kN	38	0mm	EN892:2012 + A1 2016
RP102BL-50	Statement	10mm	50m	Blue	65g/m	Single	7	8.7kN	38	0mm	EN892:2012 + A1 2016
RP102BL-60	Statement	10mm	60m	Blue	65g/m	Single	7	8.7kN	38	0mm	EN892:2012 + A1 2016
RP102BL-100	Statement	10mm	100m	Blue	65g/m	Single	7	8.7kN	38	0mm	EN892:2012 + A1 2016
RP102CO-30	Statement	10mm	30m	Copper	65g/m	Single	7	8.7kN	38	0mm	EN892:2012 + A1 2016
RP102CO-40	Statement	10mm	40m	Copper	65g/m	Single	7	8.7kN	38	0mm	EN892:2012 + A1 2016
RP102CO-50	Statement	10mm	50m	Copper	65g/m	Single	7	8.7kN	38	0mm	EN892:2012 + A1 2016
RP102CO-60	Statement	10mm	60m	Copper	65g/m	Single	7	8.7kN	38	0mm	EN892:2012 + A1 2016
RP102CO-100	Statement	10mm	100m	Copper	65g/m	Single	7	8.7kN	38	0mm	EN892:2012 + A1 2016

PRODUCT CODE	DESCRIPTION	ROPE DIAMETER	LENGTH	COLOUR	WEIGHT (G/M)	ROPE TYPE	UIAA FALLS	IMPACT FORCE	SHEATH (%)	SHEATH SLIPPAGE	CONFORMANCE
RP192BL-100	Super Big Jim	10.5m	100m	Midnight Blue	70g/m	Single	9	8.5kN	40	0mm	EN892:2012 + A1 2016
RP192BL-200	Super Big Jim	10.5m	200m	Midnight Blue	70g/m	Single	9	8.5kN	40	0mm	EN892:2012 + A1 2016
RP192BL-300	Super Big Jim	10.5m	300m	Midnight Blue	70g/m	Single	9	8.5kN	40	0mm	EN892:2012 + A1 2016
RP192OR-100	Super Big Jim	10.5m	100m	Burnt Orange	70g/m	Single	9	8.5kN	40	0mm	EN892:2012 + A1 2016
RP192OR-200	Super Big Jim	10.5m	200m	Burnt Orange	70g/m	Single	9	8.5kN	40	0mm	EN892:2012 + A1 2016
RP192OR-300	Super Big Jim	10.5m	300m	Burnt Orange	70g/m	Single	9	8.5kN	40	0mm	EN892:2012 + A1 2016

# Low Stretch Ropes



## › Worksafe

DMM Worksafe is a highly robust low stretch rope that is perfect for abseiling, top roping, work positioning.

DIAMETER: 11mm



## › Worksafe Plus

Highly durable low stretch rope that is ideal for heavy duty use.

DIAMETER: 10 / 10.5 / 11mm



## › Accessory Cord

Static accessory cords that are supple and robust.

DIAMETER: 2 / 3 / 4 / 5 / 6 / 7 / 8mm

PRODUCT CODE	DESCRIPTION	ROPE DIAMETER	LENGTH	COLOUR	WEIGHT (G/M)	ROPE TYPE	MBS	MBS (FIG. OF EIGHT)	MBS (SEWN TERMINATION)	SHEATH (%)	CONFORMANCE
RP901WI-50	Worksafe	11mm	50m	White/Blue/Grey	75g/m	Low stretch	32kN	18kN	24kN	35	EN1891:1998 A
RP901WI-100	Worksafe	11mm	100m	White/Blue/Grey	75g/m	Low stretch	32kN	18kN	24kN	35	EN1891:1998 A
RP901WI-200	Worksafe	11mm	200m	White/Blue/Grey	75g/m	Low stretch	32kN	18kN	24kN	35	EN1891:1998 A
RP901WI-700	Worksafe	11mm	700m	White/Blue/Grey	75g/m	Low stretch	32kN	18kN	24kN	35	EN1891:1998 A
RP901BK-200	Worksafe	11mm	200m	Black	75g/m	Low stretch	32kN	18kN	24kN	35	EN1891:1998 A
RP901BK-700	Worksafe	11mm	700m	Black	75g/m	Low stretch	32kN	18kN	24kN	35	EN1891:1998 A
RP901BL-700	Worksafe	11mm	700m	Blue	75g/m	Low stretch	32kN	18kN	24kN	35	EN1891:1998 A
RP901RD-700	Worksafe	11mm	700m	Red	75g/m	Low stretch	32kN	18kN	24kN	35	EN1891:1998 A

PRODUCT CODE	DESCRIPTION	ROPE DIAMETER	LENGTH	COLOUR	WEIGHT (G/M)	ROPE TYPE	MBS	MBS (FIG. OF EIGHT)	MBS (SEWN TERMINATION)	SHEATH (%)	CONFORMANCE
RP910WI-50	Worksafe Plus	10mm	50m	White/Red/Grey	66g/m	Low stretch	30kN	16kN	22kN	37	EN1891:1998 A
RP910WI-100	Worksafe Plus	10mm	100m	White/Red/Grey	66g/m	Low stretch	30kN	16kN	22kN	37	EN1891:1998 A
RP910WI-200	Worksafe Plus	10mm	200m	White/Red/Grey	66g/m	Low stretch	30kN	16kN	22kN	37	EN1891:1998 A
RP910WI-700	Worksafe Plus	10mm	700m	White/Red/Grey	66g/m	Low stretch	30kN	16kN	22kN	37	EN1891:1998 A
RP915WI-50	Worksafe Plus	10.5mm	50m	White/Red/Grey	72g/m	Low stretch	31kN	18kN	23kN	37	EN1891:1998 A
RP915WI-100	Worksafe Plus	10.5mm	100m	White/Red/Grey	72g/m	Low stretch	31kN	18kN	23kN	37	EN1891:1998 A
RP915WI-200	Worksafe Plus	10.5mm	200m	White/Red/Grey	72g/m	Low stretch	31kN	18kN	23kN	37	EN1891:1998 A
RP915WI-700	Worksafe Plus	10.5mm	700m	White/Red/Grey	72g/m	Low stretch	31kN	18kN	23kN	37	EN1891:1998 A
RP911WI-50	Worksafe Plus	11mm	50m	White/Red/Grey	75g/m	Low stretch	32kN	18kN	24kN	35	EN1891:1998 A
RP911WI-100	Worksafe Plus	11mm	100m	White/Red/Grey	75g/m	Low stretch	32kN	18kN	24kN	35	EN1891:1998 A
RP911WI-200	Worksafe Plus	11mm	200m	White/Red/Grey	75g/m	Low stretch	32kN	18kN	24kN	35	EN1891:1998 A
RP911WI-700	Worksafe Plus	11mm	700m	White/Red/Grey	75g/m	Low stretch	32kN	18kN	24kN	35	EN1891:1998 A
RP911BK-50	Worksafe Plus	11mm	50m	Black	75g/m	Low stretch	32kN	18kN	24kN	35	EN1891:1998 A
RP911BK-100	Worksafe Plus	11mm	100m	Black	75g/m	Low stretch	32kN	18kN	24kN	35	EN1891:1998 A
RP911BK-200	Worksafe Plus	11mm	200m	Black	75g/m	Low stretch	32kN	18kN	24kN	35	EN1891:1998 A
RP911BK-700	Worksafe Plus	11mm	700m	Black	75g/m	Low stretch	32kN	18kN	24kN	35	EN1891:1998 A

PRODUCT CODE	DESCRIPTION	ROPE DIAMETER	LENGTH	COLOUR	WEIGHT (G/M)	ROPE TYPE	MBS	MBS (FIG. OF EIGHT)	MBS (SEWN TERMINATION)	SHEATH (%)	CONFORMANCE
RP002BL-100	Accessory Cord	2mm	100m	Blue	2.1g/m	-	0.6kN	-	-	-	-
RP003NA-100	Accessory Cord	3mm	100m	Indigo	6g/m	-	2.4kN	-	-	-	-
RP004PR-100	Accessory Cord	4mm	100m	Violet	10g/m	-	4.1kN	-	-	-	EN564:2014
RP005RD-100	Accessory Cord	5mm	100m	Red	15g/m	-	6kN	-	-	-	EN564:2014
RP006OR-100	Accessory Cord	6mm	100m	Orange	25g/m	-	8.8kN	-	-	-	EN564:2014
RP007YE-100	Accessory Cord	7mm	100m	Yellow	32g/m	-	14kN	-	-	-	EN564:2014
RP008GR-100	Accessory Cord	8mm	100m	Green	41g/m	-	16.4kN	-	-	-	EN564:2014

# Rope Protection



## › K-Pro Rope Protector

Heavy duty kevlar/canvas rope protector that can be attached to ropes. The ultimate in-line rope protection.



## › ProPad+ Rope Protector

Heavy duty canvas/coir rope protector that can be attached to edges. Replaceable wear sheet adds longevity.

PRODUCT CODE	DESCRIPTION	COLOUR	LENGTH
K-PRO50	K-Pro Rope Protector	Blue/Red	50cm
K-PRO80	K-Pro Rope Protector	Blue/Red	80cm


PRODUCT CODE	DESCRIPTION	COLOUR	LENGTH
PROPAD+	ProPad+ Edge Mat	Blue/Yellow/Red	-
WEARSHEET	ProPad+ Wear Sheet	Yellow	-




# Slings & Lanyards









**› Dynatec 8mm**  
Ultra-thin, lightweight slings for minimising rack weight.



**› Dynatec 11mm**  
Lightweight slings for creating threads and anchors.



**› Nylon 16mm**  
Durable nylon slings for creating threads and anchors.



**› Nylon 26mm**  
Strong and durable nylon slings for heavy duty use.



**› Nylon Vari-width**  
Sport climbing slings that are easy to pull on when working routes.



**› Nylon Ripstop**  
A quickdraw that dissipates force through its stitched design, minimising impact forces on marginal gear.



**› Dynatec Daisy Chains**  
Specialist equipment used for progression in aid climbing.



**› Nylon Daisy Chain**  
Specialist equipment used for progression in aid climbing.

PRODUCT CODE	DESCRIPTION	LENGTH	COLOUR	STRENGTH	CONFORMANCE
SP0830GR	8mm Dynatec Sling	30cm	Green	22kN	EN566:2017
SP0860GD	8mm Dynatec Sling	60cm	Gold	22kN	EN566:2017
SP0860PR	8mm Dynatec Sling	60cm	Purple	22kN	EN566:2017
SP08120GY	8mm Dynatec Sling	120cm	Grey	22kN	EN566:2017
SP08120RD	8mm Dynatec Sling	120cm	Red	22kN	EN566:2017
SP08240BL	8mm Dynatec Sling	240cm	Blue	22kN	EN566:2017
SP08240GR	8mm Dynatec Sling	240cm	Green	22kN	EN566:2017
SP08400BL	8mm Dynatec Sling	400cm	Blue	22kN	EN566:2017
SP08SET1	8mm Dynatec Sling 3 Pack	2x120, 1x60cm	Assorted	22kN	EN566:2017
SP08SET2	8mm Dynatec Sling 5 Pack	1x240, 2x120, 2x60cm	Assorted	22kN	EN566:2017

PRODUCT CODE	DESCRIPTION	LENGTH	COLOUR	STRENGTH	CONFORMANCE
SP1112AS	11mm Dynatec Quickdraw Sling with retainer	12cm	Gold	22kN	EN566:2017, EN354:2010, EN795:2012 B
SP1118AS	11mm Dynatec Quickdraw Sling with retainer	18cm	Grey	22kN	EN566:2017, EN354:2010, EN795:2012 B
SP1125AS	11mm Dynatec Quickdraw Sling with retainer	25cm	Red	22kN	EN566:2017, EN354:2010, EN795:2012 B
SP1118GY	11mm Dynatec Sling	18cm	Grey	22kN	EN566:2017, EN354:2010, EN795:2012 B
SP1130GR	11mm Dynatec Sling	30cm	Green	22kN	EN566:2017, EN354:2010, EN795:2012 B
SP1160GD	11mm Dynatec Sling	60cm	Gold	22kN	EN566:2017, EN354:2010, EN795:2012 B
SP1160PR	11mm Dynatec Sling	60cm	Purple	22kN	EN566:2017, EN354:2010, EN795:2012 B
SP1160OR	11mm Dynatec Sling	60cm	Orange	22kN	EN566:2017, EN354:2010, EN795:2012 B
SP11120GY	11mm Dynatec Sling	120cm	Grey	22kN	EN566:2017, EN354:2010, EN795:2012 B
SP11120RD	11mm Dynatec Sling	120cm	Red	22kN	EN566:2017, EN354:2010, EN795:2012 B
SP11120LG	11mm Dynatec Sling	120cm	Lime	22kN	EN566:2017, EN354:2010, EN795:2012 B
SP11240BL	11mm Dynatec Sling	240cm	Blue	22kN	EN566:2017, EN354:2010, EN795:2012 B
SP11240GR	11mm Dynatec Sling	240cm	Green	22kN	EN566:2017, EN354:2010, EN795:2012 B

PRODUCT CODE	DESCRIPTION	LENGTH	COLOUR	STRENGTH	CONFORMANCE
MA1612AS	16mm Nylon Quickdraw Sling with retainer	12cm	Anthracite	22kN	EN566:2017
MA1618AS	16mm Nylon Quickdraw Sling with retainer	18cm	Anthracite	22kN	EN566:2017
MA1660BLK	16mm Nylon Sling	60cm	Black	22kN	EN566:2017, EN354:2010, EN795:2012 B
MA1660RD	16mm Nylon Sling	60cm	Red	22kN	EN566:2017, EN354:2010, EN795:2012 B
MA16120BL	16mm Nylon Sling	120cm	Blue	22kN	EN566:2017, EN354:2010, EN795:2012 B
MA16120BLK	16mm Nylon Sling	120cm	Black	22kN	EN566:2017, EN354:2010, EN795:2012 B
MA16240BLK	16mm Nylon Sling	240cm	Black	22kN	EN566:2017, EN354:2010, EN795:2012 B
MA16240RD	16mm Nylon Sling	240cm	Red	22kN	EN566:2017, EN354:2010, EN795:2012 B

PRODUCT CODE	DESCRIPTION	LENGTH	COLOUR	STRENGTH	CONFORMANCE
MA2660BLK	26mm Nylon Sling	60cm	Black	30kN	EN566:2017, EN354:2010, EN795:2012 B
MA26120BLK	26mm Nylon Sling	120cm	Black	30kN	EN566:2017, EN354:2010, EN795:2012 B
MA26240BLK	26mm Nylon Sling	240cm	Black	30kN	EN566:2017, EN354:2010, EN795:2012 B

PRODUCT CODE	DESCRIPTION	LENGTH	COLOUR	STRENGTH	CONFORMANCE
MA16SL12	Logo Nylon Vari-width Quickdraw Sling with keeper	12cm	Anthracite	22kN	EN566:2017
MA16SL18	Logo Nylon Vari-width Quickdraw Sling with keeper	18cm	Anthracite	22kN	EN566:2017
MA16SL25	Logo Nylon Vari-width Quickdraw Sling with keeper	25cm	Anthracite	22kN	EN566:2017
MA16VW12AS	Nylon Vari-width Quickdraw Sling with keeper	12cm	Anthracite	22kN	EN566:2017
MA16VW18AS	Nylon Vari-width Quickdraw Sling with keeper	18cm	Anthracite	22kN	EN566:2017
MA16VW25AS	Nylon Vari-width Quickdraw Sling with keeper	25cm	Anthracite	22kN	EN566:2017
KEEP-P5	16mm Keeper - 5 Pack	-	Black	-	EN566:2017

PRODUCT CODE	DESCRIPTION	LENGTH	COLOUR	STRENGTH	CONFORMANCE
DCDY135BL	Dynatec Daisy Chain	135cm	Blue	22kN (2kN)	EN566:2017
DCDY135RD	Dynatec Daisy Chain	135cm	Red	22kN (2kN)	EN566:2017

PRODUCT CODE	DESCRIPTION	LENGTH	COLOUR	STRENGTH	CONFORMANCE
DCNY135BL	Nylon Daisy Chain	135cm	Blue	22kN (4kN)	EN566:2017
DCNY135RD	Nylon Daisy Chain	135cm	Red	22kN (4kN)	EN566:2017

PRODUCT CODE	DESCRIPTION	LENGTH	COLOUR	STRENGTH	CONFORMANCE
Z5RSDLL19	Nylon Ripstop	-	Assorted	22kN	EN566:2017



# Lanyards



## › Dynamic Rope Lanyard

Sewn terminations with 45° cut angle.



## › Low Stretch Rope Lanyard

Sewn terminations with 45° cut angle.



## › Wire Lanyard

Lanyard made of steel wire that can be used as an abrasion resistant anchor, wrapped in a PVC tube that prevents the wire damaging paintwork and other delicate environments.

PRODUCT CODE	DESCRIPTION	LENGTH	COLOUR	STRENGTH	CONFORMANCE
RPT111RD-60-ID	Dynamic Rope Lanyard iD	60cm	Red	22kN	EN354:2010
RPT111RD-80-ID	Dynamic Rope Lanyard iD	80cm	Red	22kN	EN354:2010
RPT111RD-140-ID	Dynamic Rope Lanyard iD	140cm	Red	22kN	EN354:2010
RPT111RD-175-ID	Dynamic Rope Lanyard iD	175cm	Red	22kN	EN354:2010

PRODUCT CODE	DESCRIPTION	LENGTH	COLOUR	STRENGTH	CONFORMANCE
RPT901BLK-60-ID	Low Stretch Rope Lanyard iD	60cm	Black	22kN	EN354:2010, EN1891:1998
RPT901BLK-80-ID	Low Stretch Rope Lanyard iD	80cm	Black	22kN	EN354:2010, EN1891:1998
RPT901BLK-140-ID	Low Stretch Rope Lanyard iD	140cm	Black	22kN	EN354:2010, EN1891:1998
RPT901BLK-175-ID	Low Stretch Rope Lanyard iD	175cm	Black	22kN	EN354:2010, EN1891:1998
RPT901RD-60-ID	Low Stretch Rope Lanyard iD	60cm	Red	22kN	EN354:2010, EN1891:1998
RPT901RD-80-ID	Low Stretch Rope Lanyard iD	80cm	Red	22kN	EN354:2010, EN1891:1998
RPT901RD-140-ID	Low Stretch Rope Lanyard iD	140cm	Red	22kN	EN354:2010, EN1891:1998
RPT901RD-175-ID	Low Stretch Rope Lanyard iD	175cm	Red	22kN	EN354:2010, EN1891:1998

PRODUCT CODE	DESCRIPTION	LENGTH	COLOUR	STRENGTH	CONFORMANCE
SPWS0035-ID	Wire Lanyard iD	35cm	Steel	24kN	EN354:2010, EN795:1996 B +A1:2000
SPWS0050-ID	Wire Lanyard iD	50cm	Steel	24kN	EN354:2010, EN795:1996 B +A1:2000
SPWS010-ID	Wire Lanyard iD	100cm	Steel	24kN	EN354:2010, EN795:1996 B +A1:2000
SPWS015-ID	Wire Lanyard iD	150cm	Steel	24kN	EN354:2010, EN795:1996 B +A1:2000
SPWS020-ID	Wire Lanyard iD	200cm	Steel	24kN	EN795:1996 B +A1:2000



## › Katy Whittaker

on her first 8A, The Hatchling, Rocklands, South Africa. Her final '8' in completing the triple 8 challenge of climbing grade 8 in bouldering, trad and sport.

📷 Alex Haslehurst

# Bags & Bouldering Pads

## › Zenith



A streamlined climbing pack for carrying equipment on multipitch routes.

VOLUME: 18l



## › Flight



A sport climbing specific pack, sized to give you maximum carrying capacity and still fit on airline hand luggage.

VOLUME: 45l



## › Void



A hard wearing duffle bag with plenty of carrying capacity for climbing holidays and expeditions.

VOLUME: 45 / 75 / 100l

## › Classic Rope Bag



The Classic Rope Bag transports your rope and accessories efficiently and comfortably.

VOLUME: 32l



## › Pitcher



A simple and versatile rope bag that is ideal for the climbing wall and trad climbing.

VOLUME: 26l



## › Porter



A robust equipment storage bag that is ideal for moving heavy loads.

VOLUME: 45 / 70l

## › Transit



A kit bucket for efficient transportation of equipment.

VOLUME: 30 / 45l

## › Tool Bags



A small tool bag that can be attached to your harness for quick access to essential tools.

VOLUME: 4 / 6l

## › Guide Book Covers



A guidebook cover for transportation and protection of your guidebook.

SIZE: S / L

PRODUCT CODE	DESCRIPTION	SIZE	COLOUR	WEIGHT (G)
BC10BL	Zenith	18l	Blue	580
BC10GY	Zenith	18l	Grey	580
BC10RD	Zenith	18l	Red	580

PRODUCT CODE	DESCRIPTION	SIZE	COLOUR	WEIGHT (G)
BC11BL	Flight	45l	Blue	1560
BC11GY	Flight	45l	Grey	1560
BC11RD	Flight	45l	Red	1560

PRODUCT CODE	DESCRIPTION	SIZE	COLOUR	WEIGHT (G)
BC13-S	Void Small	45l	Grey/Green	1050
BC13-M	Void Medium	75l	Grey/Red	1140
BC13-L	Void Large	100l	Grey/Grey	1560

PRODUCT CODE	DESCRIPTION	SIZE	COLOUR	WEIGHT (G)
RB22BL	Pitcher Rope Bag	26l	Blue	470
RB22GY	Pitcher Rope Bag	26l	Grey	470
RB22RD	Pitcher Rope Bag	26l	Red	470

PRODUCT CODE	DESCRIPTION	SIZE	COLOUR	WEIGHT (G)
RB21BL	Classic Rope Bag	32l	Blue	650
RB21GY	Classic Rope Bag	32l	Grey	650
RB21RD	Classic Rope Bag	32l	Red	650

PRODUCT CODE	DESCRIPTION	SIZE	COLOUR	WEIGHT (G)
BI23BLK-45	Porter Rope Bag	45l	Black	1250
BI23BLK-70	Porter Rope Bag	70l	Black	1420

PRODUCT CODE	DESCRIPTION	SIZE	COLOUR	WEIGHT (G)
BI22BLK-30	Transit	30l	Black	690
BI22BLK-45	Transit	45l	Black	782

PRODUCT CODE	DESCRIPTION	SIZE	COLOUR	WEIGHT (G)
BI21BLK-4	Tool Bag	4l	Black	184
BI21BLK-6	Tool Bag	6l	Black	238

PRODUCT CODE	DESCRIPTION	SIZE	COLOUR	WEIGHT (G)
A6013	Guide Book Cover Small	19.5 x 13 x 3cm	Grey	-
A6014	Guide Book Cover Large	22.5 x 16.5 x 3cm	Grey	-

# Bouldering Pads

## › Highball


The hinged style Highball is an extremely popular pad with a great landing area.



	PRODUCT CODE	WEIGHT (G)	COLOUR	DIMENSIONS
Highball Bouldering Mat Green	BMAT-HBALL-GR	5400	Green	1220 x 990 x 105mm
Highball Bouldering Mat Yellow	BMAT-HBALL	5400	Yellow	1220 x 990 x 105mm



# Chalk Bags & Chalk



› Angus Kille  
with the redpoint crux to come on *The Force*  
(5.13a/7c+), Red River Gorge, USA.  
📷 Ray Wood



# Chalk Bags

## › Edge



The Edge is a chalk bucket with carrying capacity for all your bouldering essentials.



## › Trad



The Trad is a large chalk bag for carrying lots of chalk on long routes.



## › Traction



The Traction is a medium sized chalk bag suitable for all types of climbing.



## › Tube



The Tube is a classic style chalk bag suitable for all types of climbing.



## › Chalk Bag Belt

An adjustable belt with a quick release buckle.



PRODUCT CODE	DESCRIPTION	COLOUR
CB24BL	Edge Boulder Chalk Bag	Blue
CB24GY	Edge Boulder Chalk Bag	Grey
CB24RD	Edge Boulder Chalk Bag	Red

PRODUCT CODE	DESCRIPTION	COLOUR
CB23BL	Trad Chalk Bag	Blue
CB23GY	Trad Chalk Bag	Grey
CB23RD	Trad Chalk Bag	Red
CB23BLK	Trad Chalk Bag	Black

PRODUCT CODE	DESCRIPTION	COLOUR
CB22BL	Traction Chalk Bag	Blue
CB22GY	Traction Chalk Bag	Grey
CB22RD	Traction Chalk Bag	Red

PRODUCT CODE	DESCRIPTION	COLOUR
CB21BL	Tube Chalk Bag	Blue
CB21GY	Tube Chalk Bag	Grey
CB21RD	Tube Chalk Bag	Red

PRODUCT CODE	DESCRIPTION	COLOUR
CB1506BL	Chalk Bag Belt	Blue
CB1506GY	Chalk Bag Belt	Grey
CB1506RD	Chalk Bag Belt	Red

# Chalk

## › Chalk Ball



Chalk balls keep chalk contained, and are sized to give your hands a good covering with just one squeeze.

## › Chalk Tub



The Chalk Tub contains 100g of pure magnesium carbonate, packaged in a robust tub for easy transportation.

## › Crushed Chalk Bag



The Crushed Chalk bag contains 250g of pure magnesium carbonate, enough for the biggest boulder bucket.

## › Liquid Chalk



Liquid chalk forms a dry layer on your skin, keeping your hands dry on routes and boulder problems where reaching for your chalk bag could spell failure.

## › Finger Tape




Low stretch finger tape for injury support, and taping flappers and cuts.

PRODUCT CODE	DESCRIPTION	WEIGHT (G)	SIZE
DMMCBALLS	Chalk Ball	56	One size
DMMCTUB	Chalk Tub	100	100g
DMMCBAG	Crushed Chalk Bag	250	250g
DMMCLIQUID	Liquid Chalk	-	200ml

PRODUCT CODE	DESCRIPTION	LENGTH	SIZE
DMMCF25	Finger Tape	10m	25mm



# Clothing



› Finn Hayward and Ruby Wood  
enjoying an after-school session on King of Drunks  
(7A), Llanberis Pass, Wales.  
📷 Ray Wood



## › Hoodies



A cosy pullover hoodie made from 60% recycled pre-consumer organically grown cotton and 40% recycled post-consumer polyester. The back features our logo with 'Climb Now Work Later' underneath it. Equally at home on the crag or in the café.



## › Zip Hoodies



A cosy hoodie with a full-length zip made from 60% recycled pre-consumer organically grown cotton and 40% recycled post-consumer polyester. The back features our logo with 'Climb Now Work Later' underneath it. Equally at home on the crag or in the café.



## › Kids' Hoodie



A cosy kid's hoodie featuring a twist on our logo with 'Climb Now Homework Later' beneath it on the back. Available for ages from 5 - 11 years and in extra-small (65% cotton 35% polyester).

PRODUCT CODE	DESCRIPTION	COLOUR	SIZE
SUIBERRY-XS	DMM Hoodie	Raspberry	XS
SUIBERRY-S	DMM Hoodie	Raspberry	S
SUIBERRY-M	DMM Hoodie	Raspberry	M
SUIBERRY-L	DMM Hoodie	Raspberry	L
SUIBERRY-XL	DMM Hoodie	Raspberry	XL
SUINIGHT-XS	DMM Hoodie	Midnight	XS
SUINIGHT-S	DMM Hoodie	Midnight	S
SUINIGHT-M	DMM Hoodie	Midnight	M
SUINIGHT-L	DMM Hoodie	Midnight	L
SUINIGHT-XL	DMM Hoodie	Midnight	XL

PRODUCT CODE	DESCRIPTION	COLOUR	SIZE
SUIGLACIER-XS	DMM Zip Hoodie	Glacier	XS
SUIGLACIER-S	DMM Zip Hoodie	Glacier	S
SUIGLACIER-M	DMM Zip Hoodie	Glacier	M
SUIGLACIER-L	DMM Zip Hoodie	Glacier	L
SUIGLACIER-XL	DMM Zip Hoodie	Glacier	XL
SUISUN-XS	DMM Zip Hoodie	Sunset	XS
SUISUN-S	DMM Zip Hoodie	Sunset	S
SUISUN-M	DMM Zip Hoodie	Sunset	M
SUISUN-L	DMM Zip Hoodie	Sunset	L
SUISUN-XL	DMM Zip Hoodie	Sunset	XL

PRODUCT CODE	DESCRIPTION	COLOUR	SIZE
SKIBL-5/6	Kids Hoodie	Blue	5/6
SKIBL-7/8	Kids Hoodie	Blue	7/8
SKIBL-9/11	Kids Hoodie	Blue	9/11
SKIBL-XS	Kids Hoodie	Blue	XS
SKIRED-5/6	Kids Hoodie	Red	5/6
SKIRED-7/8	Kids Hoodie	Red	7/8
SKIRED-9/11	Kids Hoodie	Red	9/11
SKIREDXS	Kids Hoodie	Red	XS

# T-shirts

All of our T-shirts meet the Global Organic Textile Standard (GOTS) that ensure organic status of textiles, from harvesting of the raw materials, through environmentally and socially responsible manufacturing.

Made from 100% combed organic cotton they are also certified to carry Carbon Reduction and Fair Wear Foundation (FWF) labels. The carbon footprint is reduced by 90% in comparison to an identical product manufactured using conventional energy sources.

## › Men's Pass T-shirt




This classic landscape tee is inspired by the location of our hardware manufacturing base by the edge of Lake Padarn.



## › Men's Torque T-shirt



The Torque tee takes its cue from a piece of classic trad climbing hardware.



## › Men's Pick T-shirt




Look sharp with our classic fit, pick-scape tee. The print uses the iconic outline of DMM ice picks.



## › Women's Pass T-shirt




This classic landscape tee is inspired by the location of our hardware manufacturing base by the edge of Lake Padarn. The women's Pass tee features an open neck and casual fit.



## › Women's Torque T-shirt



The Torque tee takes its cue from a piece of classic trad climbing hardware. The women's Torque tee features an open neck and casual fit.



## › Men's DMM T-shirt



'Climb Now Work Later' wear a splash of inspiration on the back of your t-shirt with this strapline underneath our logo.



› Women's DMM T-shirt



'Climb Now Work Later' wear a splash of inspiration on the back of your t-shirt with this strapline underneath our logo. The women's tee features a slim fit.

› Kids' DMM T-shirt



A classic kid's t-shirt featuring a twist on our logo with 'Climb Now Homework Later' beneath it on the back. Available for ages from 3 - 12 years.

PRODUCT CODE	DESCRIPTION	COLOUR	SIZE
SM2L1-S	Men's Pass T-shirt	Dark Red/White	S
SM2L1-M	Men's Pass T-shirt	Dark Red/White	M
SM2L1-L	Men's Pass T-shirt	Dark Red/White	L
SM2L1-XL	Men's Pass T-shirt	Dark Red/White	XL
SM2L2-S	Men's Pass T-shirt	Denim Blue/Blue	S
SM2L2-M	Men's Pass T-shirt	Denim Blue/Blue	M
SM2L2-L	Men's Pass T-shirt	Denim Blue/Blue	L
SM2L2-XL	Men's Pass T-shirt	Denim Blue/Blue	XL

PRODUCT CODE	DESCRIPTION	COLOUR	SIZE
SM2P1-S	Men's Pick T-shirt	Dark Green/White	S
SM2P1-M	Men's Pick T-shirt	Dark Green/White	M
SM2P1-L	Men's Pick T-shirt	Dark Green/White	L
SM2P1-XL	Men's Pick T-shirt	Dark Green/White	XL
SM2P2-S	Men's Pick T-shirt	Denim Blue/Green	S
SM2P2-M	Men's Pick T-shirt	Denim Blue/Green	M
SM2P2-L	Men's Pick T-shirt	Denim Blue/Green	L
SM2P2-XL	Men's Pick T-shirt	Denim Blue/Green	XL

PRODUCT CODE	DESCRIPTION	COLOUR	SIZE
SM2T1-S	Men's Torque T-shirt	Light Grey/Blue	S
SM2T1-M	Men's Torque T-shirt	Light Grey/Blue	M
SM2T1-L	Men's Torque T-shirt	Light Grey/Blue	L
SM2T1-XL	Men's Torque T-shirt	Light Grey/Blue	XL
SM2T2-S	Men's Torque T-shirt	Red/White	S
SM2T2-M	Men's Torque T-shirt	Red/White	M
SM2T2-L	Men's Torque T-shirt	Red/White	L
SM2T2-XL	Men's Torque T-shirt	Red/White	XL
SM2T3-S	Men's Torque T-shirt	Denim Blue/Orange	S
SM2T3-M	Men's Torque T-shirt	Denim Blue/Orange	M
SM2T3-L	Men's Torque T-shirt	Denim Blue/Orange	L
SM2T3-XL	Men's Torque T-shirt	Denim Blue/Orange	XL

PRODUCT CODE	DESCRIPTION	COLOUR	SIZE
SW2L2-S	Women's Pass T-shirt	White/Pink	S
SW2L2-M	Women's Pass T-shirt	White/Pink	M
SW2L2-L	Women's Pass T-shirt	White/Pink	L
SW2L2-XL	Women's Pass T-shirt	White/Pink	XL
SW2L3-S	Women's Pass T-shirt	Melange Grey/Brown	S
SW2L3-M	Women's Pass T-shirt	Melange Grey/Brown	M
SW2L3-L	Women's Pass T-shirt	Melange Grey/Brown	L
SW2L3-XL	Women's Pass T-shirt	Melange Grey/Brown	XL
SW2L4-S	Women's Pass T-shirt	Burgundy/White	S
SW2L4-M	Women's Pass T-shirt	Burgundy/White	M
SW2L4-L	Women's Pass T-shirt	Burgundy/White	L
SW2L4-XL	Women's Pass T-shirt	Burgundy/White	XL

PRODUCT CODE	DESCRIPTION	COLOUR	SIZE
SW2T1-S	Women's Torque T-shirt	Melange Grey/White	S
SW2T1-M	Women's Torque T-shirt	Melange Grey/White	M
SW2T1-L	Women's Torque T-shirt	Melange Grey/White	L
SW2T1-XL	Women's Torque T-shirt	Melange Grey/White	XL
SW2T2-S	Women's Torque T-shirt	White/Blue	S
SW2T2-M	Women's Torque T-shirt	White/Blue	M
SW2T2-L	Women's Torque T-shirt	White/Blue	L
SW2T2-XL	Women's Torque T-shirt	White/Blue	XL

PRODUCT CODE	DESCRIPTION	COLOUR	SIZE
SM2BL-S	Men's DMM T-shirt	Bright Blue	S
SM2BL-M	Men's DMM T-shirt	Bright Blue	M
SM2BL-L	Men's DMM T-shirt	Bright Blue	L
SM2BL-XL	Men's DMM T-shirt	Bright Blue	XL
SM2RD-S	Men's DMM T-shirt	Red	S
SM2RD-M	Men's DMM T-shirt	Red	M
SM2RD-L	Men's DMM T-shirt	Red	L
SM2RD-XL	Men's DMM T-shirt	Red	XL
SM2YL-S	Men's DMM T-shirt	Yellow	S
SM2YL-M	Men's DMM T-shirt	Yellow	M
SM2YL-L	Men's DMM T-shirt	Yellow	L
SM2YL-XL	Men's DMM T-shirt	Yellow	XL


PRODUCT CODE	DESCRIPTION	COLOUR	SIZE
SW2BL-S	Women's DMM T-shirt	Bright Blue	S
SW2BL-M	Women's DMM T-shirt	Bright Blue	M
SW2BL-L	Women's DMM T-shirt	Bright Blue	L
SW2BL-XL	Women's DMM T-shirt	Bright Blue	XL
SW2HP-S	Women's DMM T-shirt	Pink	S
SW2HP-M	Women's DMM T-shirt	Pink	M
SW2HP-L	Women's DMM T-shirt	Pink	L
SW2HP-XL	Women's DMM T-shirt	Pink	XL

PRODUCT CODE	DESCRIPTION	COLOUR	SIZE
SK2BL3/4	Kid's DMM T-shirt	Blue	3/4
SK2BL5/6	Kid's DMM T-shirt	Blue	5/6
SK2BL7/8	Kid's DMM T-shirt	Blue	7/8
SK2BL9/10	Kid's DMM T-shirt	Blue	9/10
SK2BL11/12	Kid's DMM T-shirt	Blue	11/12
SK2HP3/4	Kid's DMM T-shirt	Pink	3/4
SK2HP5/6	Kid's DMM T-shirt	Pink	5/6
SK2HP7/8	Kid's DMM T-shirt	Pink	7/8
SK2HP9/10	Kid's DMM T-shirt	Pink	9/10
SK2HP11/12	Kid's DMM T-shirt	Pink	11/12
SK2RD3/4	Kid's DMM T-shirt	Red	3/4
SK2RD5/6	Kid's DMM T-shirt	Red	5/6
SK2RD7/8	Kid's DMM T-shirt	Red	7/8
SK2RD9/10	Kid's DMM T-shirt	Red	9/10
SK2RD11/12	Kid's DMM T-shirt	Red	11/12



## Smart PPE

DMM iD has revolutionised PPE inspections with durable scannable identity. UHF RFID technology allowed us to deliver a “read on contact” solution, for carabiners (patented) and other hard to manage PPE.



For more information visit [DMMWALES.COM/iD](http://DMMWALES.COM/iD)



# Customer Services

Our customer service team is here to help our distributors, retailers and end users with any queries relating to our products and service.

The team have a wide knowledge of production, retail, industry and recreational use of our products. We have completed a LOLER thorough examination course and assessment to provide advice and inspect returned products. We endeavour to answer any enquiry quickly and concisely.

Our goal is to help you with any queries relating to product, sales, delivery, use, repair, service, inspection and warranty.

If you have any questions/queries about a DMM product or wish to talk to the customer services team please email [cs@dmmwales.com](mailto:cs@dmmwales.com) or call +44 (0) 1286 872 222.

We take great pride in our products and strive to produce impeccable goods. However, if a product does not perform to your satisfaction please email [cs@dmmwales.com](mailto:cs@dmmwales.com) with the following:

- A brief explanation
- Serial number of the product
- Date and place of purchase (with a copy of the receipt if possible)
- Pictures of the product (no more than 8Mb)
- Your preferred email, address and telephone number.

We will reply with the appropriate course of action.

Regular inspection and servicing of your kit is essential as this will highlight any possible problems (see the product user instruction leaflet for more information). In the event of finding a fault, damage, or if you are unsure about a product you should stop using it immediately and contact us at [cs@dmmwales.com](mailto:cs@dmmwales.com).

Full details about inspection and maintenance of all DMM products are included in the user instructions supplied with every product, copies can be found on the relevant product pages on our website. We highly recommend that our customers read these instructions and adhere to the recommendations set out in them.

## Returns

When goods are returned to us we will carry out a full investigation through our quality system and inform you of the outcome.

To return goods for inspection please see [dmmclimbing.com/about/servicing-repairs](http://dmmclimbing.com/about/servicing-repairs) or email us at [returns@dmmwales.com](mailto:returns@dmmwales.com) for further instruction.

All returned cases are individually investigated and overseen by our group quality assurance manager. We work with our worldwide distributors and retailers to handle this process quickly and efficiently.

## Servicing, Repairs and Re-slinging

We offer servicing for DMM Cams (trigger wires and slings), and Torque Nuts (slings) if they pass a quality inspection.

Prior to sending them to us, we ask you to inspect and assess your gear in accordance to the supplied user instructions and inspection criteria. These are also available as PDF's on the product pages of our website. If you feel that your gear has more service to give, please go to [dmmclimbing.com/about/servicing-repairs](http://dmmclimbing.com/about/servicing-repairs) for further information.


NB. We endeavour to carry out this service ASAP but during busy times this may take up to four weeks. Please allow plenty of time for this service and plan well in advance of your next climbing trip.

## Our customer services team:

**Bill Cannock**  
Group quality assurance manager.

**Nick Thomas**  
Customer services manager.

**Holly Lindop**  
Customer services.



The DMM CNC department in Llanberis, UK.



# Quality

## BS EN ISO 9001:2015 Quality Assurance Management System

The quality management system maintained by DMM is registered to BS EN ISO 9001:2015 quality management system requirements. The main aim of this system is reflected in our mission statement:

**“Together each one of us will make a better, safer product for our customers”**

Our system has evolved and continues to evolve as a result of nearly 30 years of development, investment and improvement to all of our activities. ‘Quality’ both actual and perceived is our number one objective, reflecting the fact that each and every day thousands of people around the world rely on DMM products to save their lives. Our system is audited and supervised by SGS (UK) Ltd and other independent third party auditors (e.g. customers and potential customers, trading standards and other regulatory bodies) at regular intervals to ensure continuing compliance to the requirements of BS EN ISO 9001:2015, and as part of our commitment to continuous improvement.

## CE Marking and Product Conformance

The CE marking process is known as ‘type examination’ and is an important supplement to our quality management system. In line with the requirements of European Union Personal Protective Equipment [PPE] Directive 89/686/EEC, all products designed and manufactured by DMM which are classified as PPE are independently type examined and tested to the relevant European Standard for Mountaineering and/or Industrial Fall Arrest. Only after meeting the requirements of the PPE Directive and the relevant European standard are we allowed to mark CE0120 [the “CE” mark] on our products. Type examination and CE marking is a legal requirement in Europe for all height safety PPE whether for industrial or leisure use.

BS EN ISO 9001:2015 compliance and CE marking/product conformance are monitored by CEN [Committee for European Normalisation]. Notified Body No. 0120 [SGS UK Ltd., Weston-Super-Mare, Somerset, UK]. It is also a legal requirement that we maintain our quality management system as part of the PPE Directive ‘CE’ marking process.

In addition, many DMM products also conform to other non-European standards (for example ANSI and CAN/CSA for North American conformance). More information about these products can be found on our web site or by enquiring directly to our sales team.

## 3-Sigma Testing

This is our system for setting and monitoring the strength ratings as marked on our products, in-line with the minimum requirements of the relevant European and other standards, the ‘3 Sigma Testing’ method. DMM were the first company in our industry to use this Statistical Quality Control [SQC] technique. Using test data derived from samples tested to destruction at the design stage we can set the strength rating of the product. We then have a system of ongoing batch testing which monitors and ensures that the rated strength is maintained and actually exceeded.

Part of our philosophy at DMM is to continue to improve the breaking strength of our products in excess of the standards which may be required. We do this to lessen the chance of failure in situations and conditions which might not be reflected in the standard but which we know as climbers ourselves can cause product failure.

## UIAA Safety Labels

The UIAA (Union of International Alpinists Associations) is a body which promotes the safety and interests of all parties involved in mountaineering and related activities worldwide. The UIAA publish standards for mountaineering equipment which supplement the requirements of the corresponding European standards mentioned above.

## Investor in People

DMM were the first manufacturing company in Wales to be registered to the Investor in People [IIP] standard [July 1992] and in September 2016 we achieved the prestigious *Gold Award*. This standard is people orientated and its main objectives are: [a] to develop strategies to improve the performance of the organisation through its people; [b] to ensure that the organisation takes action in order to improve its performance through its people; and [c] to evaluate the impact of this investment in people on the performance of the organisation. IIP is more than just a training system. The IIP system is a key mechanism that helps us to target areas for improvement in all aspects of the business.

# Responsible Manufacturing

DMM manufactures equipment used for climbing and working at height. Manufacturing these products has an effect on the environment. Conscious of this, we are taking positive steps towards reducing our impact whilst improving the quality of life and well-being of our employees.

## What we are doing:

- DMM hardware is made in our factory here in Wales, UK. This allows us to keep our supply chains as short as possible and support the local economy.
- By manufacturing high quality, durable products, we maximise the product lifespan. With careful maintenance, some of our products can potentially last more than a lifetime.
- Our iD system extends the life span of equipment by tracking the life and use of individual products even after serial numbers have worn off.
- Recycling all waste metal from our production process.
- Processing the water used in the rumbling process creating filtered clean water that goes to the local waste water treatment plant to be made safe for household consumption.
- Our packaging is undergoing a redesign, changing over to more environmentally and sustainable materials.
- Using EarthPositive organic clothing in our range, and supporting carbon reduction and the Fair Wear Foundation.
- Offering cam reslinging and servicing to extend their life.
- Encouraging repurposing of your old equipment through our Instagram retired gear campaign.
- Making continual improvements to the working environments at DMM.
- DMM is an Investors in People Gold Award company.



Recycling aluminium flashings.





This product is printed on paper from sustainable sources using vegetable based inks.

 Pass it on.



INVESTORS  
IN PEOPLE



3σ



